
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



J.H. SCHMIDT & SON

INCORPOR-ATED



LANDSCAPE CONTRACTORS AND NURSERYMEN

MILLBURN, NEW JERSEY MILLBURN 6-0292



Tretail
PRICE LIST 1941

Wholesale 33/3% Discount

OUR NURSERY GARDEN

CONDITIONS OF SALE

All orders are accepted subject to prior sale, and to condition of stock at delivery date, under the following terms and conditions:

GOODS IN TRANSIT—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

ALL CLAIMS must be made within five (5) days after receipt of the plant material which received as per order and in good condition is not returnable.

STOCK SPECIALLY SELECTED by customers at the Nursery will be sold according to the value of the plants chosen, irrespective of catalog price.

TERMS: Cash or satisfactory references are required from unknown parties. A discount of two per cent (2%) will be allowed on all nursery stock paid in full within ten (10) days from date of invoice, thirty (30) days net. Interest at six per cent (6%) will be charged on all accounts from due date.

Orders for C. O. D. shipments must be accompanied by one-third of the amount of the order.

BALL AND BURLAP—The charge for balling and burlapping any items where B. & B. is not specified, is as follows:

Single burlap balls based on height of plant

mgie zanap zana zazea en neigin	T. P.L.
2 to 4 ft	.35
4 to 6 ft	.50
6 to 8 ft	1.00
8 to 10 ft	1.75
Solid balling roped suitably for pla	atforms
21 in. diameter	3.00
24 in. diameter	
30 in. diameter	
36 in. diameter	10.50
42 in. diameter	14.00
48 in. diameter	20.00
54 in. diameter	28.00
60 in. diameter	40.00

SCHEDULE OF DELIVERY CHARGES

First Zone-5 to 15 Miles

Amount of Order	
on one Delivery	
\$500 to \$1,000	Free
\$300 to 499	Free
\$100 to 299	Free
Less than \$100	\$3.00

A HILLSIDE GARDEN ENHANCED BY WALKS AND A BROAD FLAGSTONE PATH



\$500 to \$1,000 \$300 to 499 \$100 to 299 Less than \$100	Free Free 5% of order \$5.00
Third Zone-30 to 50 Miles	
\$500 to \$1,000 \$300 to 499 \$100 to 299 Less than \$100	Free 5% of order 8% of order \$8.00
Fourth Zone—50 to 75 Miles	
\$500 to \$1,000	Free
\$300 to 499	5% of order
\$100 to 299	10% of order

Additional information on special deliveries given on request.

Second Zone-15 to 30 Miles

EVERGREEN AND DECIDUOUS TREES AND SHRUBS

Each Per 100 Per 100 ABELIA grandiflora—5'-6'—Glossy Abelia—Half evergreen, shell pink flowers
throughout Summer; privet-like foliage.
12-18 in. B. & B
ABIES concolor—50'-60'—White Fir—Large flat silvery-green needles. Splendid pyramidal habit; withstands city conditions.
14-16 ft. B. & B
ABIES—homolepsis—60'-80'—Nikko Fir—One of the finest firs; has lustrous needles; quite hardy.
8-10 ft. B. & B
ACER palmatum—6'-8'—Japanese Maple—A good semi-dwarf tree.
3-4 ft, B, & B, 5.10
4-5 ft. B. & B
5-6 ft. B. & B
6-7 ft, B, & B,
7-8 ft. B. & B
ACER platanoides—50'.75'—Norway Maple—Heavy dark foliage; good shade tree. Best maple for city conditions.
16-18 ft. B. & B.—3½-4 in cal
16-18 ft. B. & B.—4-4½ in. cαl
18-20 ft. B. & B.— $4\frac{1}{2}$ -5 in. cal
ARONIA arbutifolia—8'—Red Chokeberry—Handsome red foliage in the Fall; red fruit; prefers a moist location.
18-24 in, B, & B,
AZALEA altoclarence—5'.6'—Highclere Azalea—A deciduous Azalea with large yellow flowers.
15-18 in, B. & B 3.30
18-24 in. B. & B 4.20 3.90
2-2½ ft. B. & B 5.10 4.80
2½-3 ft. B, & B
3-3½ ft. B & B 7.50
AZALEA amonea—4'-5'—Japanese Evergreen Azalea—Spreading bushy shrub, densely covered with vivid claret flowers. Good Fall color.
2-2½ ft. B. & B
2½-3 ft. B. & B
3-3 ½ ft. B. & B
3½-4 ft, B. & B
4-5 ft. B. & B

	Each	Per 10	Per 100	
AZALEA arborescens-10'-12'-Sweet Azalea-	-Native	; bushy	plant wit	h
fragrant white flowers in June.		•	•	
12-15 in B. & B.	1.80	1.50		
15-18 in. B. & B.	2.10	1.80	1.50	
18-24 in. B. & B.	2.70	2.40	2.10	
2-2½ ft. B. & B.	3.75	3.45	3.00	
2½-3 ft. B. & B.	4.80	4.50	4.20	
3-4 ft. B. & B.	6.75	6.30	5.85	
4-5 ft. B. & B.	8.70	7.80		
5-6 ft. B. & B	12.00			
AZALEA calendulacea—8'-9'—Southern Flame apricot and flame colored flowers in May		—Bright le	emon-yellov	٧,
12-15 in, B. & B	1.50			
15-18 in, B. & B	1.80	1.65	1.50	
18-24 in. B. & B	2.40	2.10	1.80	
2-2½ ft. B. & B	3.30	3.00	2.70	
2½-3 ft. B. & B	4.50	4.20	3.90	
3-4 ft. B. & B	6.00	5.40	4.80	
4-5 ft. B. & B	8.10	7.20	6.30	
5-6 ft. B. & B	10.50	9.00		
AZALEA Hinodegiri—4'-5'—Japanese Azalea—E carmine-pink flowers in June.		n shrub c	overed wit	h
15-18 in. B. & B.	3.00			
18-24 in. B. & B	4.20			
2-2½ ft. B. & B	6.00	7. 50		
2½-3 ft. B. & B	9.00	7.50		
3-3½ ft. B. & B.	10.50	9.60		
3½-4 ft. B. & B	12.00			
AZALEA indica alba—4'-5'—Large single white in 18-24 in, B, & B,	flowers, 3.90	needs som	e protection	ı.
2½-3 ft. B. & B.	6.60			
Z /2-3 It. B. & B	0.60			
AZALEA Kaempferi—4'-5'—Torch Azalea—Orano May.	ge-pink	to coral-re	d flowers i	n
12-15 in. B. & B	1.50	1.35	1.20	
15-18 in. B. & B	1.95	1.80	1.50	
18-24 in. B. & B		0.05	1.95	
	2.40	2.25	1.55	
2-2½ ft. B. & B	2.40 3.15	3.00	1.55	
2-2½ ft. B. & B			1.55	
2-2 ½ ft. B. & B	3.15	3.00	1.53	
2-2½ ft. B. & B	3.15 3.90	3.00	1.93	,

	Each	Per 10	Per 100
AZALEA ledifolia magnifica-4'-5'-Carmine flak			
white flower; blooms profusely in May.	tes on the	e infoat of	a creamy
18-24 in, B. & B.	4.20		
2-2½ ft. B. & B.	6.00		
	0.00		
AZALEA molle Pink Beauty—Pink.	F 40		
2-2½ ft. B. & B	5.40		
2½-3 ft. B. & B.	6.30		
AZALEA mucronulatum—5'-6'—Dahurian Azale	α —Violet	-pink flow	ers; early
blooming; scarlet foliage in Fall.			
15-18 in. B. & B.	1.80	1.50	7.05
18-24 in. B. & B.	2.25	1.95 2.70	1.65
2-2 ½ ft. B. & B	3.00 3.90	3.60	2.40 3.30
3-3½ ft. B. & B.	5.40	5.10	3.30
3½-4 ft. B. & B.	6.30	3.10	
4-5 ft, B. & B.	8.10		
			_
AZALEA nudiflora—6'-8'—Pinxterbloom—Native;	tragrant,	clear pink	flowers in
early May.	1.05	1.00	1.05
15-18 in, B. & B.	1.95	1.80	1.65
18-24 in. B. & B	2.70 3.75	2.40 3.30	
2-1/2-3 ft. B. & B.	4.80		
3-4 ft. B. & B.	6.30	4.20 5.70	
4-5 ft. B. & B.	8.10	3.70	
AZALEA Pink Pearl—A Kurume hybrid; evergre		on pink flo	wers.
15-18 in. B. & B	3.30		
18-24 in. B. & B	4.20		
2-2½ ft. B. & B	5.40		
AZALEA poukhanensis—4'-5'—Korean Azalea—	–Large, (almost blu	e blooms;
fragrant.	0.05		
12-15 in B. & B.	2.25	0.40	
15-18 in. B. & B	2.70	2.40	
18-24 in, B. & B	3.90	3.60	
2-2½ ft. B. & B.	5.70	5.40	
2½-3 ft. B. & B	6.90 9.00	6.60 8.10	
AZALEA roseα—5'-6'—Downy Pinxterbloom—No	ative; ros	se-colored	flowers in
May; red and yellow foliage in Fall.	1.50	1.00	
12-15 in. B. & B	1.50	1.20	
15-18 in. B. & B	1.80	1.50	
18-24 in, B. & B	2.70 3.75	2.40	
2-2½ ft, B, & B	3.75 4.80	3.45 4.50	
3-4 ft. B. & B.	6.75	6.00	
4-5 ft. B. & B.	9.00	8.10	
7-0 H. D. & D	5.00	0.10	


	Each	Per 10	Per 100
AZALEA Schlippenbachi-6'-8'-Royal Azalea-F	ale rose-	colored flo	wers.
12-15 in. B. & B	2.40	2.10	1.80
15-18 in. B. & B	3.30	3.00	2.70
18-24 in. B. & B	4.20	3.90	3.60
2-2½ ft. B. & B	5.40	5.10	4.80
2½-3 ft. B. & B	6.90	6.30	
3-4 ft. B. & B	8.10		
AZALEA Sweetbriar—3'—Clear, unfading pink.			
15-18 in. B. & B	3.30		
AZALEA Vaseyi—10'-15'—Pink Shell Azalea—Na May.	tive; flow	vers appea	ar in early
12-15 in, B. & B	1.65	1.50	1.35
15-18 in. B. & B	2.25	2.10	1.85
18-24 in. B. & B	3.00	2.70	2.40
2-2½ ft. B. & B	3.90	3.60	3.30
2½-3 ft. B. & B	5.10	4.80	4.50
3-4 ft. B. & B	6.60	6.00	
AZALEA viscosa—9'-10'—Swamp Azalea—Nativi flowers in late June.	ve; fragr	ant, white	or pink
2-2½ ft. B. & B.	3.00		
2½-3 ft. B. & B	4.20		
3-4 ft. B. & B	6.00		
4-5 ft. B. & B	8.10		
BERFERIS Chenaulti—3'-4'—Chenault Barberry foliage; neat compact habit.	—Evergre	een; glos	sy green
12-15 in. B. & B	2.10	1.80	
15-18 in. B. & B.	2.70	2.40	
18-24 in. B. & B	3.60		
BERBERIS Julianae—4'-5'—Wintergreen Barberry foliage.	—Large,	spined,	ever-green
18-24 in. B. & B	1.35		
2-3 ft. B. & B	2.40	2.10	
3-4 ft. B. & B	3.30	3.00	
4-5 ft. B, & B	4.20		
BERBERIS Thunbergi—4'-5'—Japanese Barberry—brilliant Fall coloring; scarlet berries.	–Splendid	low hea	lge plant;
12-15 in	.18	.15	.12
15-18 in	.24	.21	.18
18-24 in	.30	.24	.21
2-2 ¹ 2 ft	.42		

DEPOSITOR AND	r 100 arrow,
12-15 in. B. & B. 1.20 1.05 15-18 in. B. & B. 1.80 1.50 18-24 in. B. & B. 2.25 1.95 2-2½ ft. B. & B. 3.00	n gun,
BERBERIS verruculosa—3'—Warty Barberry—Small, glossy, green, cleaves.	oblong
12-15 in. B. & B	.05 .50 .80 .40
BETULA alba laciniata—White Birch—Weeping branches and silvery whi	te, cut
foliage. 6-8 ft. B. & B	
$\textbf{BETULA populifolia} \color{red} \textbf{30'40'} \color{red} \textbf{Gray Birch} \color{blue} \textbf{Very effective in natural clur}$	nps.
6-8 ft. clumps B. & B	
BIGNONIA grandiflora—25'-30'—Trumpet Vine—Clusters of bright of	range
trumpet flowers in late Summer. 5 in. pots—15-18 in	
BUDDLEIA lie De France—4'-5'—Hybrid Butterfly Bush—Large rosy	purple
flower spikes; fragrant.	
3 yr. 7 in. pots	
BUXUS sempervirens—8'-10'—Bush Form—The true, hardy variety of Co Box.	mmon
6-8 in, heavy	.12
BUXUS sempervirens arborescens—15'-20'—Tree Boxwood—A small, gr	
evergreen tree with pendant branches; glossy, dark green leaves $18-24$ in. B. & B	•

	Each	Per 10	Per 100
BUXUS sempervirens suffruticosa—5'-6'—Dwarf			
English Boxwood; extremely slow grow plant.	ing; gran	ıd evergre	en edging
4-6 in	.18	.15	.12
4-6 in. (heavy)	.27	.24	.21
6-8 in	.36 1.50	.30	
10-12 in, B. & B.	2.10		
12-15 in. B. & B.			
Larger sizes; prices upon a			
CALYCANTHUS floridus—8'-9'—Sweet Shrub—R	eddish-bro	wn flowers	: fragrant.
2-3 ft.	.54	.45	
3-4 ft	.75	.66	
CERCIS canadensis—20'-25'—American Red-ba	ıd-Rosv-r	oink flowe	rs almost
cover branches in April.	2 1		
3-4 ft	.90		
4-5 ft	1.20		
5-6 ft	1.50		
8-10 ft. B. &. B.	7.50		
10-12 ft. B. & B	9.00		
10-12 ft. B. & B. (heavy)			
CERCIS chinensis—10'-12'—Chinese Redbud—Do	_		pact habit.
18-24 in	.66	.60	
2-3 ft,	.90	.81	
3-4 ft	1.35 1.80	1.20 1.65	
			37
CHAMAECYPARIS obtusa Crippsi—10'-12'—C hardy; slow grower; bright yellow throu			ress—very
3-4 ft. B. & B.	-	1.	
4-5 ft, B. & B.			
CHAMAECYPARIS obtusa gracilis—12'-15'—S		malei Cern	ess Dish
dark green foliage; compact growth.		moki Cypi	ess—Inch,
3-4 ft. B. & B.	6.90		
4-5 ft. B. & B.			
5-6 ft, B. & B			
8-10 ft. B. & B.			
CHAMAECYPARIS pisifera plumosa—25'-35'—Plu		se Slanda	r branches
imparting a feathery appearance.	ame Cypie	sa Diende	Didnesies
4-5 ft. B. & B	4.20		
5-6 ft. B. & B.			
6-7 ft. B. & B	9.00		
7-8 ft. B. & B	12.00		

	Each	Per 10 Per 100	
CORNUS florida-15'-25'-White Flowering Dogs	wood—One	of the best native	•
Spring flowering trees; red berries.			
3-4 ft. B. & B	1.50		
4-5 ft. B. & B.	2.40	2.25	
5-6 ft. B. & B.	3.30	3.00 2.70	
5-6 ft. specimen B. & B.	4.80	5.00	
6-8 ft. B. & B.	5.10	4.80 4.50	
6-8 ft. specimen B. & B.	7.20	1.00	
8-10 ft. B. & B.	7.50	6.90 6.00	
8-10 ft. specimen B. & B.	10.50	9.60	
10-12 ft. B. & B.	13.50	12.00	
10-12 ft. specimen B. & B.	18.00		
12-14 ft. B, & B.	24.00	21.00	
12-14 ft. specimen B. & B.	30.00		
14-16 ft. B. & B.	36.00		
14-16 ft. specimen B. & B.	45.00		
16-18 ft. B. & B.	48.00		
18-20 ft. B. & B.	60.00		
•			
CORNUS florida rubra—15'-20'—Pink Flowering	Dogwood-	-Flowers more per-	-
sistent than the white flowers; smaller be	rries.		
2-3 ft. B. & B.	2.40		
3-4 ft, B, & B,	3.00	2.70	
4-5 ft, B, & B.	4.50	3.90	
5-6 ft. B. & B.	6.75		
6-7 ft. B. & B.	10.50		
7-8 ft. B. & B.	14.40		
8-9 ft. B. & B	19.50		
8-9 ft. specimen B. & B	22.50		
9-10 ft. B. & B.	24.00		
9-10 ft. specimen B. & B.	27.00		
10-12 ft. B. & B.	27.00		
10-12 ft. specimen B. & B.	33.00		
12-14 ft. B. & B.			
12-14 ft. specimen B. & B.	42.00		
14-16 ft. B. & B			
CORNUS mascula—15'-20'—Cornelian Cherry—	Yellow flo	wers early in the	9
Spring; cherry-like fruit.			
4-5 ft. B. & B	3.30		
5-6 ft. B. & B	4.20		
6-7 ft. B. & B	6.00	5.40	
7-8 ft. B. & B	8.10		
COTONEASTER divaricata-4'-6'-Spreading Co	toneaster-	Dark green foliage	
		groom somago	,
red berries.	2.10		
3-4 ft. B, & B	2.10		

STONE GATES AND RESTRAINED PLANTING EXPRESS THE QUIET DIGNITY OF THIS CEMETERY ENTRANCE



Each Per 10 Per 100
COTONEASTER horizontalis—2'-3'—Rock Cotoneaster—Flat branches, deep green leaves, scarlet berries.
4 in. pots 1.20 1.05 7 in. pots 2.10 1.80
COTONEASTER microphylla—2'—Rockspray—Hardy; small, glossy dark green
leaves; evergreen; white flowers; red fruit. $2^{1/4}$ in, pots
COTONEASTER salicifolia floccosa—8'-10'—Willowleaf Cotoneaster—Tall; willow-like foliage; red fruit.
2-3 ft. B. & B
COTONEASTER Simonsi—8'·10'—Simon Cotoneaster—Spreading branches and pinkish white flowers in June. Bright red berries; almost evergreen.
3-4 ft. B. & B
CRATAEGUS Crus-galli—20'-25'—Cockspur Thorn—Dark, glossy leaves; good Fall color.
10-12 ft. B. & B
CRATAEGUS mollis—15'—Downy Hawthorn—Large leaves; white flowers; scarlet fruit.
10-12 ft. B. & B
CRATAEGUS Oxycantha—20'-25'—English Hawthorn—Large fragrant white flowers; red berries.
6.8 ft. B. & B 6.00
CRATAEGUS Oxycantha rosea plena—20'-25'—Double pink English Hawthorn.
4-5 ft, B. & B. 2.70 6-8 ft, B. & B. 6.00 8-10 ft, B. & B. 10.50 10-12 ft, B. & B. 13.50 12-14 ft, B. & B. 16.50 14-16 ft, B. & B. 21.00 16-18 ft, B. & B. 27.00
CRYPTOMERIA japonica lobbi—15'-20'—Temple Cryptomeria—Tall and slender;
bronze winter color.
14-16 ft. B. & B
CYDONIA japonica—3'-4'—Flowering Quince—Scarlet flowers in early spring.
CIDUNIA Idponica—3-4 — Flowening Quince—Scallet Howers in early spilling.
15-18 in

	Each	Per 10	Pe	r 100
DAPHNE Cneorum-l'-Garland Flower-Gray-G				
evergreen shrub with fragrant, pink flower				
8-10 in. B. & B.	.90	.75		.60
10-12 in B. & B.	1.35	1.20		.05
12-15 in. B. & B.	1.80	1.65	-	.00
15-18 in B. & B.	2.25	1.00		
18-24 in. B. & B.	3.00			
DAPHNE Mezereum—2½'-3'—February Daphne-		fragrant,	rosy	purple
flowers in February; nice gray-green folia	ge.			
15-18 in. B. & B	.90			
18-24 in. B. & B	1.05			
2-2½ ft. B. & B	1.35			
DEUTZIA gracilis—3'-4'—Slender Deutzia—Snow-	white f	lowers in	Marr	
	.42		Muy.	
12-15 in		.36		
15-18 in	.54	.45		
18-24 in	.60	.54		
DEUTZIA gracilis rosea—3'-4'—Pink Slender Deu	tzia—Be	ell-shaped	flower	rs.
15-18 in	.42	.36		
18-24 in.	.54	.45		
DEUTZIA Lemoine—4'-5'—Lemoine Deutzia—Larg	e, whit	e flowers	in Jun	ie.
18-24 in	.42	.36	in Jun	ie.
			in Jun	ie.
18-24 in	.42 .54	.36 .48		
18-24 in	.42 .54	.36 .48		
18-24 in	.42 .54 Pink D	.36 .48 Peutzia—Do		
18-24 in	.42 .54 Pink D	.36 .48 Peutziα—Do		
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft.	.42 .54 Pink D .30 .42	.36 .48 Peutzia—Do .24 .36		
18-24 in	.42 .54 Pink D .30 .42 .51	.36 .48 Peutzia—Do .24 .36 .45		
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft.	.42 .54 Pink D .30 .42	.36 .48 Peutzia—Do .24 .36		
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft.	.42 .54 Pink D .30 .42 .51 .69	.36 .48 Deutzia—Do .24 .36 .45 .63	ouble	
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O	.42 .54 Pink D .30 .42 .51 .69	.36 .48 Deutzia—Do .24 .36 .45 .63	ouble	
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re	.36 .48 Deutzia—Do .24 .36 .45 .63	ouble	
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O	.42 .54 Pink D .30 .42 .51 .69 .81	.36 .48 Deutzia—Do .24 .36 .45 .63	ouble	
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80	.36 .48 Peutziα—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enkint red (.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia 2½-3 ft. B. & B.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enkint red 4.80	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia 2½-3 ft. B. & B. 3-4 ft. H. & B.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enk mt red 4.80 5.10	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia 2½-3 ft. B. & B. 3-4 ft. B. & B. 5-6 ft. B. & B.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enkint red (4.80 5.10 7.50	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia 2½-3 ft. B. & B. 3-4 ft. B. & B. 5-6 ft. B. & B. 6-7 ft. B. & B.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enkint red t 4.80 .5.10 .5.10 .5.00 .9.00	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush
18-24 in. 2-3 ft. DEUTZIA scrabra—Pride of Rochester—8'-9'— flowers shading to rose. 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft. ELEAGNUS longipes—5'-6'—Cherry Eleagnus—O 5-6 ft. 6-7 ft. ENKIANTHUS campanulatus—12'-15'—Red Vein pale orange flowers, veined darker; brillia 2½-3 ft. B. & B. 3-4 ft. B. & B. 5-6 ft. B. & B.	.42 .54 Pink D .30 .42 .51 .69 .81 range-re 1.20 1.80 ed Enkint red (4.80 5.10 7.50	.36 .48 Peutzia—Do .24 .36 .45 .63 .72 ed fruit in	July.	blush

	Each Per 10 Per 100	
EUONYMUS alatus—7'-8'—Winged Euonymus	-Pink and crimson autum	n
color; carmine fruit.		
6-8 ft. B. & B	. 6.00	
EUONYMUS patens—8'-10'—Spreading Euony fruit.	mus—Half-evergreen; orang	е
2-3 ft. spread B. & B		
EUONYMUS radicans—15'-20'—Wintercreeper Viscover.	ne—Evergreen wall or ground	ł-
2½ in. pots	.30 .24 .60 .48	
FAGUS sylvatica Riversii—70'-80'—River's Furple tree.	e Beech—The best purple lea	ıf
4-5 ft. B. & B	6.60	
5-6 ft, B. & B	9.00	
6-8 ft. B. & B.	12.75	
FORSYTHIA intermedia speciabilis—8'-9'—Show deep yellow flowers.	ry Border Golden Bell—Large	∍,
18-24 in	.30 .27	
2-3 ft	.42 .36	
3-4 ft	.5748	
4-5 ft	.72	
6-7 ft	.96	
GORDONIA alatamaha—20'—A small native September. Fine Fall color.	tree with white flowers in	n
4-5 ft, B. & B	6.60	
5-6 ft. B. & B	7.50	
6-7 ft. B. & B	9.00	
7-8 ft. B. & B		
8-10 ft. B. & B	13.50	
HALESIA tetraptera—20'-25'—Great Silver Bell—dark green foliage.	-White flowers in early May	;
3-4 ft	.69	
5-6 ft	1.20	
6-8 ft	1.50	
HAMAMELIS virginiana—15'-25'—Witch-Hazel—'	Tall shrub; yellow flowers in	n
4-5 ft	1.05	
5-6 ft.	1.35	
6-7 ft.	1.65	
7-8 ft	2.40	

HYDRANGEA paniculata grandiflora—8'-10'-	Each -Peegee	Per 10 Hydrangea	Per 100 Flowers
white in summer changing to pink in fall.		• •	
2-3 ft	.66	.60	
3-4 ft	.75	.66	
ILEX cornuta—10'—Chinese Holly—Evergreen; scarlet berries.	shining,	glossy gree	en leaves;
12-18 in, B, & B,	1.50	1.35	
18-24 in. B. & B	1.95		
2-2½ ft. B. & B	2.40		
2½-3 ft. B. & B	2.85		
3-4 ft. B. & B.	3.60		
4-5 ft. B. & B	4.50		
ILEX crenata—8'-10'—Japanese Holly—Box-like berries.	evergre	en leaves o	and black
15-18 in. B. & B	1.35	1.20	1.05
18-24 in. B. & B	2.10	1.80	1.50
2-2½ ft. B. & B	2.40	2.25	2.10
2½-3 ft. B. & B	3.60	3.30	3.00
3-4 ft. B. & B	5.40	5.10	4.80
4-5 ft. B, & B	7.80	7.20	6.90
5-6 ft. B. & B	9.90	9.00	
6-7 ft. B. & B		12.00 to 15.0	0
ILEX crenata convexa (Bullata)—4'-5'—Convex form of slow growth; shiny convex folia		red Holly—	Evergreen
8-10 in. edging	.90	.81	.72
10-12 in. B. & B	1.20	1.05	.90
12-15 in. B. & B	1.65	1.50	
15-18 in. B. & B.	2.10	1.80	
18-24 in. B. & B.	3.00	2.70	
2-2½ ft. B. & B.	3.90		
2½-3 ft. B. & B.	6.00		
ILEX crenata microphylla—6'-8'—Small Leaf] green leaves and more hardy than Ilex		Holly—Smo	iller ever-
15-18 in. B. & B	1.35		
18-24 in. B. & B	2.25	2.10	1.80
2-2½ ft. B. & B	3.60	3.00	2.85
2½-3 ft. B. & B	5.10		
ILEX glabra—5'-6'—Inkberry—Dark green leave black berries.	es turni	ng purple i	n Winter;
15-18 in. B. & B	2.10		
18-24 in B. & B.	2.70		
2-2½ ft, B. & B	3.75		
2½-3 ft. B. & B	5.10		
3-4 ft. B. & B	7.20		

ILEX opaca—25'-30'—American Holly—One of	Each		Per 100
greens; dark green, glossy leaves and al	tne nai	ive proddie	avea ever-
		e or rea be	mes.
18-24 in. B. & B	1.50		
2-3 ft. B. & B		2.70	2.40
3-4 ft. B. & B	5.10	4.80	4.50
4-5 ft. B. & B	7.50	7.20	6.90
5-6 ft. B. &. B.	10.50		
6-8 ft. B. & B		21.00 to 54	.00
Larger specimen prices on application.			
ILEX Pernyi—7'-8'—Perny Holly—Evergreen;	dark, lu	ıstrous, gre	en leaves;
bright red berries; neat compact habit.			
12-15 in B. & B.	2.10	1.80	
15-18 in. B. & B.	3.00	2.70	
18-24 in. B. & B.	4.20	3.90	
	1120	0.00	
ILEX verticillata-6'-8'-Winterberry-Also call	led Blac	k Alder.	Deciduous;
bright red berries,			
2-3 ft. B. & B.	.66		
3-4 ft. B. & B.	.81		
4-5 ft. B. & B.			
4-5 R. B. & B	1.05		
ILEX verticillata polycarpa—Improved variety o	f Ilex v	erticillata.	
2-3 ft	.90		
3-4 ft.	1.20		
JUNIPERUS chinensis—18'-20'—Chinese Juniper gray-green foliage; very hardy.	Formo	ıl, narrow	evergreen;
5-6 ft. B. & B	6.00		
6-8 ft. B. & B.	8.10		
JUNIPERUS chinensis columnaris—15'-20'—Col-	umnar	Juniper-Ta	ll, narrow
habit; steel-blue color.			
6-7 ft. B. & B	7.50		
7-8 ft B. & B.	9.90		
8-10 ft. B. & B.	13.50	12.00	
10-12 ft, B, & B,	18.00	15.00	
	24.00	15.00	
12-14 ft. B. & B			
JUNIPERUS chinensis neaboriensis—7'-8'—Coni	ical Ch	inese Junip	er-Broad,
pyramidal habit, rich foliage.			
5-6 ft. B. & B.	5.70		
6-7 ft. B. & B.	7.50		
JUNIPERUS chinensis Sargenti—2'-2½'—Sargent	Juniper-	—Hardy gro	ound-cover;
prostrate in habit; bright green foliage.			
15-18 in, B, & B,	2.25		
18-24 in. B. & B.	3.00		

ONE OF OUR PRIZE WINNING EXHIBITS AT THE NEW YORK FLOWER SHOW

Each Per 10 Per 100 Per 100 midal form with gray-green foliage.				
midal form with gray-green foliage. 18:24 in. B. & B		Each	Per 10	Per 100
midal form with gray-green foliage. 18:24 in. B. & B	JUNIPERUS excelsa stricta—5'-6'—Spiny Greek]	uniper-	-Close grow	ing, pyra-
2.2½ ft. B. & B. 2.40 2½-3 ft. B. & B. 3.00 JUNIPERUS horizontalis Bar Harbor—6".12"—Bar Harbor Juniper—Mat of gray-green foliage changing to metallic purple in Winter. Very prostrate, excellent ground-cover. 12.18 in. B. & B. 2.40 18-24 in. B. & B. 3.00 JUNIPERUS horizontalis plumosa—1½'—Purple Spreading Juniper—Very hardy; attractive purple color in Winter. 1.50 1.20 18-24 in. B. & B. 2.10 1.80 1.50 18-24 in. B. & B. 2.10 1.80 1.50 18-24 in. B. & B. 2.70 2½-3 ft. B. & B. 2.70 2½-3 ft. B. & B. 3.00 3.3½ ft. B. & B. 4.20 3.3½-4 ft. B. & B. 4.20 3.3½-4 ft. B. & B. 4.80 5-6 ft. B. & B. 9.00 JUNIPERUS virginiana Burki—12'-15'—Burk's Cedar—Dense column; silver-gray foliage turning purple in Winter. 8-10 ft. B. & B. 21.00 JUNIPERUS virginiana Cannarti—19'-12'—Cannart Cedar—Pyramidal, compact growth; deep, rich green foliage. 2½-3 ft. B. & B. 3.00 4-5 ft. B. & B. 3.00 3.10 7-8 ft. B. & B. 3.00 3.10 15.00 12 foot specimen B. & B. 27.00 JUNIPERUS virginiana glauca—15'-20'—Silver Cedar—Irregular column; bluish-gray foliage. 4-5 ft. B. & B. 3.00 4-5 ft. B. & B. 3.00 3.10		_	-	
21½-3 ft. B. & B. 3.00	18-24 in. B. & B.	2.10		
UNIPERUS horizontalis Bar Harbor—6":12"—Bar Harbor Juniper—Mat of graygreen foliage changing to metallic purple in Winter. Very prostrate, excellent ground-cover, 12:18 in. B. & B.	2-2½ ft. B. & B.	2.40		
green foliage changing to metallic purple in Winter. Very prostrate, excellent ground-cover. 12-18 in. B. & B	2½-3 ft. B. & B.	3.00		
green foliage changing to metallic purple in Winter. Very prostrate, excellent ground-cover. 12-18 in. B. & B	HINDEDIK Ladianalia Da II la 0//10// D			
Excellent ground-cover. 12-18 in. B. & B.	JUNIPERUS nonzontans bar narbor—6 -12 —Bar	Harbor	Juniper—IVIC	it of gray-
12-18 in. B. & B. 2.40 18-24 in. B. & B. 3.00 3.3½ ft. B. & B. 2.70 2.10 1.80 1.50 2.2½ ft. B. & B. 3.00 3.3½ ft. B. & B. 4.20 3½-4 ft. B. & B. 4.20 3½-4 ft. B. & B. 4.80 5-6 ft. B. & B. 9.00 3.00 3.1½-4 ft. B. & B. 4.80 5-6 ft. B. & B. 9.00 3.0		e in w	inter. very	prostrate,
18-24 in. B. & B. 3.00	·	2.40		
JUNIPERUS horizontalis plumosa—1½—Purple Spreading Juniper—Very hardy; attractive purple color in Winter. 15-18 in. B. & B.				
attractive purple color in Winter. 15-18 in. B. & B				
attractive purple color in Winter. 15-18 in. B. & B	JUNIPERUS horizontalis plumosa—1½'—Purple Sp	preading	Juniper-Ve	ery hardy;
18-24 in. B. & B.				-
2-2½ ft. B. & B	15-18 in. B. & B.	1.50	1.20	
2½-3 ft. B. & B.	18-24 in. B. & B.	2.10	1.80	1.50
3.3½ ft. B. & B. 4.20 3½-4 ft. B. & B. 4.80 5-6 ft. B. & B. 9.00 JUNIPERUS virginiana Burki—12′-15′—Burk's Cedar—Dense column; silver-gray foliage turning purple in Winter. 8-10 ft. B. & B. 16.50 10-12 ft. B. & B. 16.50 JUNIPERUS virginiana Cannarti—10′-12′—Cannart Cedar—Pyramidal, compact growth; deep, rich green foliage. 2½-3 ft. B. & B. 3.00 4-5 ft. B. & B. 3.00 6-7 ft. B. & B. 4.50 6-7 ft. B. & B. 12.00 8-10 ft. B. & B. 12.00 8-10 ft. B. & B. 21.00 12 foot specimen B. & B. 27.00 JUNIPERUS virginiana glauca—15′-20′—Silver Cedar—Irregular column; bluish-gray foliage. 4-5 ft. B. & B. 9.00 8-10 ft. B. & B. 9.00 15 ft. B. & B. 9.00 17 ft. B. & B. 9.00 18 ft. B. & B. 9.00 19 JUNIPERUS virginiana glauca—15′-20′—Silver Cedar—Irregular column; bluish-gray foliage. 4-5 ft. B. & B. 9.00 8-10 ft. B. & B. 9.00	2-2½ ft. B. & B.	2.70		
3½-4 ft. B. & B	2½-3 ft. B. & B.	3.00		
3½-4 ft. B. & B	3-3½ ft. B. & B.	4.20		
5-6 ft. B. & B. 9.00 JUNIPERUS virginiana Burki—12'-15'—Burk's Cedar—Dense column; silver-gray foliage turning purple in Winter. 8-10 ft. B. & B. 16.50 10-12 ft. B. & B. 21.00 JUNIPERUS virginiana Cannarti—10'-12'—Cannart Cedar—Pyramidal, compact growth; deep, rich green foliage. 2½-3 ft. B. & B. 3.00 4-5 ft. B. & B. 4.50 6-7 ft. B. & B. 9.00 8.10 7-8 ft. B. & B. 12.00 8-10 ft. B. & B. 16.50 10-12 ft. B. & B. 21.00 12 foot specimen B. & B. 27.00 JUNIPERUS virginiana glauca—15'-20'—Silver Cedar—Irregular column; bluishgray foliage. 4-5 ft. B. & B. 4.50 6-7 ft. B. & B. 9.00 8-10 ft. B. & B. 9.00 8-10 ft. B. & B. 18.00 15.00 JUNIPERUS virginiana Keteleeri—18'-20'—Keteleer Cedar—Dark green foliage; compact, pyramidal habit. 7-8 ft. B. & B. 9.00 8.10 8-10 ft. B. & B. 9.00 8.10				
JUNIPERUS virginiana Burki—12'-15'—Burk's Cedar—Dense column; silver-gray foliage turning purple in Winter. 8-10 ft. B. & B.				
foliage turning purple in Winter. 8-10 ft. B. & B				
8-10 ft. B. & B		. ar Der	nse column;	silver-gray
10-12 ft. B. & B				
JUNIPERUS virginiana Cannarti—10'-12'—Cannart Cedar—Pyramidal, compact growth; deep, rich green foliage. 2½-3 ft. B. & B				
growth; deep, rich green foliage. 2½-3 ft. B. & B	10-12 ft, B. & B	21.00		
growth; deep, rich green foliage. 2½-3 ft. B. & B	JUNIPERUS virginiana Cannarti-10'-12'-Cannar	rt Ceda	r—Pyramidal	l, compact
2½-3 ft. B. & B	growth: deep, rich green foliage.		1	
4-5 ft. B. & B	2½-3 ft. B. & B.	3.00		
6-7 ft. B. & B		4.50		
7-8 ft. B. & B		9.00	8.10	
8-10 ft. B. & B	• • • • • • • • • • • • • • • • • • • •	12.00		
10-12 ft. B. & B		16.50		
12 foot specimen B. & B				
JUNIPERUS virginiana glauca—15'-20'—Silver Cedar—Irregular column; bluishgray foliage. 4-5 ft. B. & B				
gray foliage. 4-5 ft. B. & B	·			
4.5 ft. B. & B		dar—Iri	egular colun	nn; bluish-
5-6 ft. B. & B	gray foliage.			
6-7 ft. B. & B	4-5 ft. B. & B			
8-10 ft. B. & B				
10-12 ft. B. & B				
JUNIPERUS virginiana Keteleeri—18'-20'—Keteleer Cedar—Dark green foliage; compact, pyramidal habit. 7-8 ft. B. & B. 9.00 8.10 8-10 ft. B. & B. 13.50 12.00			15.00	
compact, pyramidal habit. 7-8 ft. B. & B	10-12 ft, B. &. B	21.00		
compact, pyramidal habit. 7-8 ft. B. & B	IIINIPERIIS virginiana Keteleeri—18'-20'—Ketelee	er Ceda	r-Dark aree	n foliage:
7-8 ft. B. & B			groc	
8-10 ft. B. & B		9.00	8.10	
	10-12 ft. B. & B.	18.00	15.00	

	Each	Per 10	Per 100
JUNIPERUS virginiana schotti—20'-25'—Schott	Red Ceda	r—Colum	nar habit;
dark green foliage.			
7-8 ft. B. & B			
8-10 ft. B. & B			
JUNIPERUS virginiana Smithi—6'-8'—Smith's R	ed Cedar	Light g	rass-green
3-4 ft. B. & B	4.20	3.90	
4-5 ft. B. & B.	5.10	4.80	
KALMIA angustifolia—3'—Lambkill—Large cluste	ers of purp	lish or lig	ht crimson
flowers.	2.40		
15-18 in. B. & B	2.40 3.00		
18-24 in. B. & B	3.60		
KALMIA latifolia-6'-8'-Mountain Laurel-Nativ	e evergre	en; covere	ed in late
May and early June with white to pink	ilówers;	glössy, d	ark green
foliage; does better in semi-shade. 12-15 in. B. & B	1.65	1.50	1.35
15-18 in. B. & B.	2.25	2.10	1.80
18-24 in. B. & B.	3.00	2.70	2.40
2-2½ ft. B. & B.	3.90	3.60	3.30
2-1/2-3 ft. B. & B.	5.10	4.80	4.20
3-4 ft. B. & B.	7.20	6.90	6.30
4-5 ft, B, & B.	10.50	9.90	9.00
5-6 ft. B. & B.	13.50	12.00	5.00
5-6 ft. specimen B. & B.		.00 to 18.0	in.
6-7 ft. B. & B.	18.00	.00 10 10.0	10
KERRIA japonica fl. pl.—4'-5'—Double Kerria—	ellow flov	vers in M	ay; green
stems.			
18-24 in	.81		
2-3 ft,	1.05		
KOELREUTERIA paniculata—25'-30'—Golden-rain			men tree,
bears large panicles of yellow flowers; pr		sunlight.	
4-5 ft	1.65		
5-6 ft	2.40		
KOLKWITZIA amabilis—5'-6'Beauty BushPin	k flowers	in late Sp	ring.
18-24 in	.75	.69	
2-3 ft	1.05	.90	
LABURNUM Vossi-30'-Golden Chain-Small tr	ee; yellow	flowers 1	esembling
wisteria; most attractive.			
3-4 ft. B. & B.	1.50		
4-5 ft. B. & B.	2.10		
5-6 ft. B. & B	3.60		
6-8 ft. B. & B.	4.65		
8-10 ft. B. & B.	6.00		

	Each	Per 10	Per 100
LEIOPHYLLUM buxifolium—1'-2'—Sand Myrtle—1			
shiny leaves; pale pink or white flowers	in May	and June.	en, sman,
12-15 in. B. & B	2.25		
15-18 in. B. & B.	3.00	2.40	
18-24 in. B. & B.	3.75	3.30	
2-2½ ft. B. & B	4.50	3.90	
2½-3 ft. B. & B	5.25	4.80	
3-3½ ft. B. & B	6.60		
LEUCOTHOE Catesbaei-3'-4'-Drooping Androm	ada Mat		on coloner
foliage; white flowers in May; rich Autum shade.			
12-18 in. B. & B.	1.20	1.05	.90
18-24 in. B. & B	1.80	1.65	1.50
2-2½ ft. B. & B	2.70		
2½-3 ft. B. & B.	3.60		
LIGUSTRUM obtusifolium Regelianum—4'-6'—Tr Half-evergreen; good for use in a shrubb	ery bord	er; low bro	ınched.
18-24 in	.60	.54	.51
2-2½ ft	.75	.66	.63
2½-3 ft	.90	.81	
LIGUSTRUM ovalifolium—9'-10'—California Prive	t-Most p	oopular hed	dge plant.
18-24 in	.12	.09	.06
2-3 ft	.15	.12	.09
3-4 ft	.21	.15	.12
LIQUIDAMBAR Styraciflua—100'—Sweet Gum—crimson Fall color.	-A tall p	yramidal t	ree; deep
8-10 ft,—1½-2 in. cal	6.00	5.40	
10-12 ft.—2-2½ in. cal	8.40	7.50	
12-14 ft.—2½-3 in. cal	12.00	10.50	
12-14 ft.—3-3½ in. cal	13.50	12.00	
LONICERA fragrantissima—6'-8'—Winter Bush flowers in March; good foliage.	Honeysu	:kle —Fragr	ant white
2-3 ft	.51	.45	
3-4 ft	.63	.57	
LONICERA Morrowi—7'-8'—Morrow Bush Ho flowers in June; red fruit.	neysuckle	-Spreadin	g; white
2-3 ft	.54	.48	.42
LONICERA tatarica rosea—8'-10'—Tatarian crimson flowers and fruit.	Honeysu	kle—Tall	growing;
2-3 ft,	.48		
3-4 ft	.60		

SIMPLICITY IS THE KEYNOTE OF THIS FOUNDATION PLANTING




	Each	Per 10	Per 100
MAGNOLIA liliflora nigra—15'-18'—Purple Lily throughout the Spring; glossy foliage.	y Magnolia	Purple	flowers
3-4 ft. B. & B. 5-6 ft. B. & B. 6-7 ft. B. & B. 7-8 ft. B. & B.	3.75 7.50 9.00 12.00		
MAGNOLIA parviflora—15'-20'—Oyama Magno with crimson stamens.	li a —Fragran	t, white	flowers
4-5 ft. B. & B	7.50		
6-7 ft. B. & B.			
7-8 ft. B. & B.			
MAGNOLIA soulangeana—15'-18'—Saucer Magnoink, cup-shaped flowers in April.	noliα—Gloss	y foliage	; large,
3-4 ft. B. & B.	3.75	3.60	
4-5 ft. B. & B	5.10	4.65	
5-6 ft. B. & B.	6.30		
6-7 ft. B. & B.	8.10		
7-8 ft. B. & B.	10.50		
8-10 ft R & R	13.50		

	Each	Per 10	Per 100
MAGNOLIA soulangeana—Continued			
8-10 ft. B. & B. (heavy)	15.00		
10-12 ft. B. & B			
10-12 ft. B. & B. (heavy)			
12-14 ft. B. & B	30.00		
MAGNOLIA stellata—8'-10'—Star Magnolia—Slowhite flowers.	w growii	ng; early s	emi-double
2½-3 ft. B. & B.	5.25		
3-4 ft, B. & B.	7.50		
4-5 ft. B. & B.	9.90		
5-6 ft. B. & B	13.50		
6-7 ft. B. & B	15.00		
MAGNOLIA stellata rosea—10'-12'—Pink Star M	agnolia-	-Pink flowe	rs.
2½-3 ft. B. & B	5.25		
3-4 ft, B, & B	7.50		
4-5 ft. B. & B	9.90		
MAHONIA Aquifolium—3'-4'—Oregon Grape	Holly-1	Evergreen;	holly-like
leaves vary from rich green to purple-re			
location.		,	F
15-18 in, B. & B.	1.20		
18-24 in. B. & B.	1.80	1.65	
2-2½ ft. B. & B.	2.40	2.10	
2½-3 ft. B. & B.	3.30	3.00	
3-3½ ft. B. & B.	3.90		
MALUS—Flowering Crabs—			
Arnoldiana—12'-15'—Arnold Crab—Semi-double	flowers	deen nin	k in bud
expanding to white; waxy yellow apples		deep piii	A.B.C.D.F.
atrosanguinea—10'-15'—Carmine Crab—Single		flowers i	
shapely habit,	0111110011		A.B.C.D.E.
floribunda-12'-15'-Japanese Flowering Crab-I	Pink bud	s and flow	ers in the
Spring; red fruit.			.B.C.D.E.F.
Scheideckeri—10'-15'—Scheidecker Crab—Double	pink f	lowers; lar	ge yellow
fruit; upright growth.			A.B.C.D.
spectabilis—15'-18'—Chinese Flowering Crab—	Large, i	ragrant, b	
flowers; yellow fruit, not very showy.			A.B.C.D.E.
theifera—15'-18'—Tea Crab—Red buds, blush-wh		ers.	A.B.C.D.
A— 3-4 ft	1.35		
B.— 4-5 ft.	1.80		
C.— 5-6 ft. B. & B	2.70		
D.— 6-8 ft. B. & B E.— 8-10 ft. B. & B	4.20 8.10		
F.—10-12 ft. B. & B	13.50		
Specimens add 33½			
Specimens add 33.78	/0		

	Each	Per 10	Per 100
MALUS—Flowering Crabs—Continued			
Halliana Parkmanni—12'-15'—Parkman Crab—Se	mi-double,	rose-pink	flowers.
10-12 ft. B. & B	15.00		
ioensis plena—10'-15'—Bechtel Crab—Double per 3-4 ft	1.80 2.40 9.00 13.00	lowers.	
sargenti-5'-6'-Sargent Crab-Dwarf; white flow	vers; small	scarlet f	ruit.
4-5 ft. B. & B.	3.60		
5-6 ft. B. & B.	5.25		
6-7 ft. B. & B.	8.10		
torringoides—25'—Cutleaf Crab—Creamy white fruit.	flowers; y	ellow and	d reddish
4-5 ft. B. & B.	2.70		
5-6 ft. B. & B.	3.60		
NYSSA svlvatica—60'-70'—Tupelo—Sourwood—Pigreen foliage; good Fall color.	cturesque i	in old αge	; brilliant
3-4 ft	2.25		
4-5 ft	3.00 4.50		
6-8 ft	5.25		
OXYDENDRON arboreum—25'-30'—Sorrelwood—flowers in August; foliage a wonderful red		clusters	of white
4-5 ft	2.25	1.95	
5-6 ft. B. & B.	3.30	3.00	2.70 3.90
6-8 ft, B, & B,	4.50 6.00	4.20 5.70	5.40
10-12 ft. B. & B.	9.00	8.10	0.10
PHILADELPHUS coronarius—8'-10'—Mock Orange May or June.	e—Fragrar	nt white f	lowers in
2-3 ft	.45	.39	
3-4 ft,	.51	.45	
5-6 ft	.75		
PHILADELPHUS Lemoinei—4'-5'—Lemoine Mock C small leaves hidden by fragrant white flo		eat compa	ct hybrid;
18-24 in	.42	.36	
2-2½ ft	.51		

Each Per 10	Per 100
PHILADELPHUS Lemoinei Mont Blanc-3'-White Mountain Mock	orange—
Profusion of white flowers.	
18-24 in	
2-3 ft	
PHILADELPHUS virginalis—7'-8'—Virginal Mock Orange—Large white flowers.	e, fragrant
2-3 ft	
3-4 ft	
4-5 ft,	
PHOTINIA villosa-12'-15'-Christmas Berry-Red fruit and foliage	e in Fall.
3-4 ft	
4-5 ft,	
5-6 ft	
PICEA glauca conica—5'—Dwarf Alberta Spruce—Dense cone of very hardy.	blue-green;
5-6 ft. B. & B. specimen 24.00	
PICEA pungens Kosteri—60-80'—Koster Blue Spruce—Silvery-blue.	
PIERIS f'oribunda—3'.4'—Mountain Fetterbush—Native evergreen; h covered in April with spikes of white flowers.	nardy shrub
15-18 in, B. & B	2.10
18-24 in. B. & B	2.70
2·2 ½ ft, B, & B,	
3-3½ ft. B. & B	
PIERIS japonica—5'-6'—Japanese Andromeda—Evergreen; glossy	leaves turn-
ing bronze in Winter. Drooping clusters of white flowers.	
12-15 in, B, & B,	1.80
	1.00
18-24 in B & B 300 2.70	
18-24 in. B. & B	
2-2½ ft. B. & B	
2.2 ½ ft. B. & B. 4.20 3.90 2½-3 ft. B. & B. 6.00 5.40 3.3½ ft. B. & B. 9.00 8.40 3½-4 ft. B. & B. 12.00 10.50	
2.2 ½ ft. B. & B. 4.20 3.90 2 ½-3 ft. B. & B. 6.00 5.40 3.3 ½ ft. B. & B. 9.00 8.40	
2-2 ½ ft. B. & B. 4.20 3.90 2 ½-3 ft. B. & B. 6.00 5.40 3-3 ½ ft. B. & B. 9.00 8.40 3 ½-4 ft. B. & B. 12.00 10.50 4-5 ft. B. & B. 16.20 15.00	areen with
2-2-1/2 ft. B. & B. 4.20 3.90 2-1/2-3 ft. B. & B. 6.00 5.40 3-3-1/2 ft. B. & B. 9.00 8.40 3-1/2-4 ft. B. & B. 12.00 10.50 4-5 ft. B. & B. 16.20 15.00 PINUS Cembra—20'-25'—Swiss Stone Pine—Slow-growing, ever	green with
2-2-1/2 ft. B. & B. 4.20 3.90 2-1/2-3 ft. B. & B. 6.00 5.40 3-3-1/2 ft. B. & B. 9.00 8.40 3-1/2-4 ft. B. & B. 12.00 10.50 4-5 ft. B. & B. 16.20 15.00 PINUS Cembra—20'-25'—Swiss Stone Pine—Slow-growing, ever conical shape; attractive silvery-green needles.	green with
2-2-1/2 ft. B. & B. 4.20 3.90 2-1/2-3 ft. B. & B. 6.00 5.40 3-3-1/2 ft. B. & B. 9.00 8.40 3-1/2-4 ft. B. & B. 12.00 10.50 4-5 ft. B. & B. 16.20 15.00 PINUS Cembra—20'-25'—Swiss Stone Pine—Slow-growing, ever	green with

A PLANTING OF BROAD-LEAVED EVERGREENS UNDER TOWERING HEMLOCKS, FRAME THE ENTRANCE OF THIS RESIDENCE FROM THE ROAD



	Each Per 10 Per 100
PINUS densiflora—100'—Japanese Red Pine—Qu	
foliage is a bright bluish-green.	
6-7 ft. B. & B	8.10
PINUS montana Mughus—5'.6'—Mugho Pine—I and neat in habit; very hardy.	Owarf, slow growth; compact
18-24 in. B. & B	3.30
2-2½ ft. B. & B.	4.50
3-3½ ft. B. & B.	7.50
3½-4 ft. B. & B	9.00 12.00
5-6 ft, B. & B.	15.00
6-7 ft. B. & B.	18.00
7-8 ft, B, & B,	21.00
DINITIC CO' 70' Buching Dies Classes de	
PINUS nigra—60'-70'—Austrian Pine—Glossy, do	
4-5 ft. B. & B	5.40 4.50 7.50
PINUS resinosa—60'-70'—Red Pine—Dense tree	with dark green needles.
10-12 ft. B. & B	27.00
12-14 ft, B. & B	36.00
PINUS Strobus—80'-100'—White Pine—Native en needles.	vergreen with soft, blue-green
	7.50 6.90 8.40
needles. 4-5 ft. B. & B	7.50 6.90 8.40
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond.
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond.
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond, .72 .66
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond, .72 .66 .87 .75
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond. .72 .66 .87 .75 1.20
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond. .72 .66 .87 .75 1.20 3.00
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond. .72 .66 .87 .75 1.20 3.00
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond, .72 .66 .87 .75 1.20 3.00
needles. 4-5 ft. B. & B. 5-6 ft. B. & B. PRUNUS glandulosa—5'-6'—Double flowering pi 18-24 in. B. & B. 2-3 ft. B. & B. 3-4 ft. B. & B. 4-5 ft. heavy B. & B. PRUNUS serrulata—20'-40'—Japanese Cherries. Ama-no-gawa—Light pink, semi-double; slender 5-6 ft. B. & B. 6-8 ft. B. & B.	7.50 6.90 8.40 nk and white almond, .72 .66 .87 .75 1.20 3.00 and upright, 3.30
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond, .72 .66 .87 .75 1.20 3.00 and upright, 3.30
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond, .72 .66 .87 .75 1.20 3.00 and upright, 3.30 6.00
needles. 4-5 ft. B. & B. 5-6 ft. B. & B. PRUNUS glandulosa—5'-6'—Double flowering pi 18-24 in. B. & B. 2-3 ft. B. & B. 3-4 ft. B. & B. 4-5 ft. heavy B. & B. PRUNUS serrulata—20'-40'—Japanese Cherries. Ama-no-gawa—Light pink, semi-double; slender 5-6 ft. B. & B. 6-8 ft. B. & B. Beni-Higan—Pale pink flowers borne profusely	7.50 6.90 8.40 nk and white almond72 .66 .87 .75 1.20 3.00 and upright. 3.30 6.00 6.00 9.00 10.50
needles. 4-5 ft. B. & B	7.50 6.90 8.40 nk and white almond72 .66 .87 .75 1.20 3.00 and upright. 3.30 6.00 6.00 9.00
needles. 4-5 ft. B. & B. 5-6 ft. B. & B. PRUNUS glandulosa—5'-6'—Double flowering pi 18-24 in. B. & B. 2-3 ft. B. & B. 3-4 ft. B. & B. 4-5 ft. heavy B. & B. PRUNUS serrulata—20'-40'—Japanese Cherries. Ama-no-gawa—Light pink, semi-double; slender 5-6 ft. B. & B. 6-8 ft. B. & B. Beni-Higan—Pale pink flowers borne profusely 6-8 ft. B. & B. 6-8 ft heavy B. & B. 8-10 ft. B. & B. Hizakura—Pink, deeper at edges and back of p	7.50 6.90 8.40 nk and white almond72 .66 .87 .75 1.20 3.00 and upright. 3.30 6.00 6.00 9.00 10.50 12.00
needles. 4-5 ft. B. & B. 5-6 ft. B. & B. PRUNUS glandulosa—5'-6'—Double flowering pi 18-24 in. B. & B. 2-3 ft. B. & B. 3-4 ft. B. & B. 4-5 ft. heavy B. & B. PRUNUS serrulata—20'-40'—Japanese Cherries. Ama-no-gawa—Light pink, semi-double; slender 5-6 ft. B. & B. 6-8 ft. B. & B. Beni-Higan—Pale pink flowers borne profusely 6-8 ft. B. & B. 6-8 ft. B. & B. 8-10 ft. B. & B. 10-12 ft. B. & B.	7.50 6.90 8.40 nk and white almond72 .66 .87 .75 1.20 3.00 and upright. 3.30 6.00 6.00 9.00 10.50 12.00

	Each	Per 10	Per 100
PRUNUS serrulata—Continued			
Kwansan—Double pink.			
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B.	9.00		
10-12 ft. specimen B. & B.	18.00	15.00	
12-14 ft. specimen B. & B.	27.00	24.00	
14-16 ft. specimen B. & B.	33.00	24,00	
14-10 R. specimen D. & D	33.00		
Kofugen-Semi-double, pink flowers; late bloome	er.		
4-5 ft, B, & B,	2.40		
5-6 ft. B. & B.	3.60		
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B.	12.00		
10-12 ft. specimen B. & B.	18.00		
12-14 ft. specimen B. & B.	27.00		
Ta 11 It. specimen b. a b	27.00		
Mt. Fugi-Double white.			
5-6 ft B, & B,	3.60		
6-8 ft. B. & B.	6.00		
8-10 ft. B. & B.	10.50		
0 10 11 D. Q D	10.00		
Naden-Small tree; one of the most double of the	he pink fl	owering v	arieties.
4-5 ft. B. & B.	2.40	-	
6-8 ft. B. & B.	6.00		
10-12 ft, B, & B,	12.00		
12-14 ft. specimen B. & B.	27.00		
*			
Shirofugen—Double, opens pale pink, becomes	white an	d then tur	ns cerise.
8-10 ft. B. & B	10.50		
10-12 ft. B. & B.	15.00		
PRUNUS serrulata rosea plena pendula-12'-15'	Iananes	e Weening	T Cherry-
Deep pink, double flowers.	Japanes	e weepin	9 0
	4.50		
2 yr. head, 5-6 ft. stem B. & B	6.90		
3 yr. head, 5-6 ft. stem B. & B	8.10		
	9.00		
4 yr. head, 5-6 ft. stem B. & B	10.50		
4 yr. head, 6-7 ft. stem B. & B	15.00		
6 yr. head, 6-7 ft. stem B. & B.	30.00		
9 yr. head, 10 ft. stem B. & B	30.00		
PRUNUS subhirtella pendula single—15'-18'—	-Japanese	Weeping	Cherry—
Single light pink flowers.			
3 yr. head, 4-5 ft. stem B. & B	4.50		
3 yr. head, 5-6 ft. stem B. & B	6.90		
3 yr. head, 6-7 ft. stem B. & B	8.10		
4 yr. head, 5-6 ft. stem B. & B.	9.00		
4 yr. head, 6-7 ft. stem B. & B	10.50		
•			

	Each	Per 10	Per 100
PRUNUS subhirtella pendula single—Continued			
5 yr. head, 4-5 ft. stem B. & B. 5 yr. head, 5-6 ft. stem B. & B. 5 yr. head, 6-7 ft. stem B. & B. 7 yr. head, 6-7 ft. stem B. & B.	10.50 12.00 13.50 18.00		
PSEUDOTSUGA douglasi—70'-80'—Douglas Fir—soft-textured gray-green foliage. 10-12 ft. B. & B	21.00	rical everg	reen tree;
PYRACANTHA coccinea—Firethorne—Spreading orange-yellow berries. 4-5 ft. B. & B. specimen	-	reen shrul	b; bright
·			1 1
PYRACANTHA coccinea Lalandi—9'-12'—Evergrever with large clusters of orange be			oad-leaved
2-2 ¹ / ₂ ft, potgrown B. & B	3.00 3.60 4.20	3.60	
QUERCUS palustris—70'-80'—Pin Oak—Quick gracusts dense shade.	rowing C	Oak; pyram	idal head;
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.50 10.50 13.50 18.00 21.00		
RHODODENDRON arbutifolium—4'—Daphne Rh June; hardy dwarf variety.	nododend	lron—Pink	flowers in
2-2 ½ ft. B. & B	7.50 9.00		
RHODODENDRON canadense—3'-4'—Rhodora—shade.	Purple f	lowers; bes	st in moist
12-15 in. B. & B		1.50	
RHODODENDRON carolinianum—6'.7'—Carolino green; dark green leaves; pale rose-pinl in semi-shade.	Rhodoo k flowers	dendron—No s in early	ative ever- May. Best
12-15 in. B. & B. 15-18 in. B. & B. 18-24 in. B. & B. 2-2 ¹ / ₂ ft. B. & B.	2.25 3.00	1.50 2.10 2.70 3.60	1.20 1.80 2.40 3.30

	Each	Per 10	Per 100
RHODODENDRON carolinianum—Continued			
2½-3 ft. B. & B.	5.25	4.80	4.50
3-4 ft, B, & B	6.75	6.00	
4-5 ft. B. & B.	9.00	8.10	
5-6 ft. B. & B	12.00		
RHODODENDRON carolinianum album—6'-7'—V	(7).:a- (Samelina Dhe	
—Native evergreen; white or light pink is			aoaenaron
		•	
15-18 in. B. & B.	2.25		
18-24 in. B. & B	3.00	0.00	
2-2½ ft. B. & B	3.90	3.60	
2½-3 ft. B. & B	5.25 6.75	4.80 6.00	
3-4 ft. B. & B	6./3	6.00	
RHODODENDRON catawbiense—8'-10'—Catawbo	Rhode	odendronNo	rtive ever-
green; large, rosy-purple flowers in June;			
15-18 in, B, & B,	-		
18-24 in. B. & B.	2.25 3.15	0.05	
2-2½ ft. B. & B.	4.50	2.85 4.20	0.75
2-2 /2 II. B. & B	6.00	5.70	3.75 5.40
3-4 ft. B. & B.	8.10	7.50	6.90
4-5 ft. B. & B.	10.50	9.60	8.70
5-6 ft, B, & B,	10.50	12.00 to 18.0	
6-8 ft. B. & B.		15.00 to 10.0	
0-0 It, D, & D,		10.00 10 00.0	,0
RHODODENDRON macrantha—6'-7'—Broad leaf	everg	reen with sn	nall white
flowers, June and July.			
18-24 in. B. & B.	4.80		
2-2½ ft. B. & B.	6.00		
2½-3 ft, B, & B,	7.20		
3-3 ½ ft. B. & B.	8.10		
3½-4 ft. B. & B.	9.30		
DUAD OPENDANA A LACIACIA			
RHODODENDRON maximum—10'-12'—Rosebay		dendron-Na	
green; light pink or white flowers in late	june;	good lollage	
18-24 in, B. & B.	2.70	2.55	2.40
2-2½ ft. B. & B	3.30	3.00	2.70
2½-3 ft. B. & B.	4.50	4.20	3.90
3-3½ ft. B. & B.	5.70	5.10	4.50
3½-4 ft. B. & B.	6.90	6.30	5.70
4-5 ft. B. & B	9.00	8.40	7.80
5-6 ft. B. & B.	12.00	10.50	9.00
6-7 ft. B. & B		15.00 to 24.0	
7-8 ft. B. & B		18.00 to 36.0	
8-9 ft. B. & B		21.00 to 42.0	JU

UTILITY AND SPACIOUSNESS ARE EXPRESSED IN THE DESIGN OF THIS PROPERTY



	Each	Per 10	Per 100
RHODODENDRON Hybrids—			
album elegans—10'-12'—Blush-pink			C.D.F.G.
Everestianum—Lilac; low-growing			A.B.C.
roseum elegans—8'-10'—Soft rose			B.C.D.E.F.G.
A.—15-18 in. B. & B.	3.00		
B.—18-24 in. B. & B.	3.90	3.60	
C.—2-2½ ft. B. & B	4.95	4.50	
D.—2½-3 ft. B. & B.	6.75	6.00	
E.—3-3½ ft. B. & B	9.00	8.25	
F.—3½-4 ft. B. & B.	13.50	12.00	
G.— 4-5 ft. B. & B	16.50	15.00	
America—5'-6'—Red			B.C.D.
Amphion—6'-8'—Pink		A.I	B.C.D.E.F.G.
Charles Bagley-7'-8'-Cherry red			B.C.D.F.
catawbiense alba—6'-8'—Pure white			
catawbiense grandiflora—Lavender			F.


	Each	Per 10	Per 100
RHODODENDRON Hybrids—Continued			D 22 4
Delicatissima—6'-8'—Blush-pink			D.E.F.
Dr. Dresselhuys—6'-8'—Red Kettledrum—Red			C.D.E.F.
Lee's Dark Purple—Rich Purple			
Mrs. Milner—Rich crimson			CDF
Old Port—6'-8'—Plum color			
Mrs. P. Den Ouden—Red			
Parson's grandiflora—Red			
purpureum elegans—Purple			C.D.E.
E. S. Rand—5'-6'—Scarlet			
Mrs. C. S. Sargent—6'-8'—Deep pink			
Mrs. H. W. Sargent—6'-8'—Crimson			
Ignatius Sargent—6'-8'—Scarlet			C.D.
A.—15-18 in. B. & B.	3.90	3.60	
B.—18-24 in. B. & B.	4.95	4.50	
C.—2-2½ ft. B. & B.	6.75	6.00	
D.—2½-3 ft. B. & B.	9.00	8.25	
E.—3-3½ ft. B. & B	13.50	12.00	
F.—3½-4 ft. B. & B G.— 4-5 ft. B. & B		15.00	
Boule de Neige—4'-5'—White flowers with fine f	_	wart.	
15-18 in. B. & B.	4.50		
18-24 in. B. & B	6.00	5.40	
2-2 ¹ / ₂ ft. B. & B	8.10 9.90		
RHODOTYPUS kerrioides—5'-6'—Jetbead—White shrub; black berries all Winter.	e flowers	in June;	compact
18-24 in. 2-2½ ft.	.45 .54		
ROSA Hugonis—6'-8'—Hugonis Rose—Single yel	low flowe	rs in early	May.
2-3 ft	.81	.75	
ROSA rugosa—5'-6'—Red Rugosa Rose—Flower and red fruit.	rs fragran	ıt, decorαti	ve yellow
18-24 in. 2-3 ft.	.63 .72		
ROSA rugosa alba—4'-5'—White Rugosa Rose—all Summer.	–Large w	hite fragra	nt flowers
2-3 ft	.75 1.05		
ROSA Wichuriana—8'-10' spread—Memorial Ros		ng; cluster	s of white
3 yr. 1½-2 ft	E A	40	20
5 yr, 1/2-2 II.	.54	.48	.39

	Each Per 10 Per 1	nα
SCIADOPITYS verticillata—20'-25'—Umbrella Pi	ne—Evergreen; thick glo	
leaves, pyramidal head; very slow growing	ıg.	
7-8 ft. B. & B. 8-10 ft. B. & B.	30.00 42.00	
SORBUS Aucuparia—25'-30'—European Mountain fruit, Good drainage necessary.	Ash—Clusters of orange	-red
8-10 ft. 1½ in. cal.	3.60	
10-12 ft. 2 in. cal	4.20	
	18.00	
16-18 ft. 6-7 in. cal. B. & B	30.00 60.00	
SPIRAEA Bumalda Anthony Waterer—3'—Water all Summer.	er spirea—Rose-pink flov	vers
18-24 in	.48	
2-3 ft	.63	
SPIRAEA prunifolia—7'-8'—Bridalwreath—Clusters Fall coloring.	s of tiny double flowers; of	jood
3-4 ft	.60	
SPIRAEA Thunbergi—4'-5'—Thunberg Spirea—Co	overed with white flower	s in
18-24 in.	.42 .36	
2-3 ft	.54 .48	
SPIRAEA Vanhouttei-6'-8'-Van Houtte Spirea-	-White flowers in June.	
2-3 ft	.42 .39	
3-4 ft	.51 .45	
4-5 ft	.81 .72	
STEPHANANDRA flexuosa—5'.6'—Cutleaf Stephodish-purple. Autumn color.	mandra—Refined shrub;	red-
18-24 in	.42 .36	
2-3 ft	.54 .48	
3-4 ft	.63 .57	
SYMPHORICARPOS Chenaulti—3'-4'—Chenault and white fruit in the Fall.	Coralberry—A mass of	pink
2-3 ft	.48 .42 .3	
3-4 ft	.57 .54 .4	_
SYMPHORICARPOS racemosus—4'-5'—Snowbern September; semi-shade or sun.	y—Large white berries	in
18-24 in,	.39 .33	
2-3 ft	.51 .45	
3-4 ft	.60 .54	

	P l-	Per 10	D 100
	Each		
SYMPHORICARPOS vulgaris—4-'5'—Coralberry—shade or sun.	Holas	pernes u	inui spring;
18-24 in	.33	.30	
2-3 ft	.45	.39	
3-4 ft	.51	.48	
4-5 ft	.66	.57	
SYRINGA japonica—15'-18'—Japanese Tree Lila flowers.	c —Grac	eful habit;	lilac-purple
8-10 ft. B. & B	9,00		
SYRINGA vulgaris—12'-15'—Common Lilac—Frag		der fler	rora in Mars
		vender nov	wers in May.
2-3 ft	.54		
3-4 ft	.75		
4-5 ft	.90		
5-6 ft	1.05		
7-8 ft. B. & B	4.80		
8-10 ft. B. & B.	6.00		
10-12 ft. B. & B. (Very heavy)	13.50		
SYRINGA Hybrids-8'-15'-Hybrid Lilacs			
Maurice Barres—Pale azure lilac, single			B.C.
Belle de Nancy-Light violet-red, double			
Captain Baltet—Violet-lilac, single			
Berryer-Clear mauve, semi-double			
Michael Buchner-Light blue, double			
Buffon-Mauve-pink, single			
Charles the Tenth—Reddish-purple, single			
Congo-Reddish-violet, free-flowering, single			
President Failliers—Pale lavender, double			В.
Marie le Graye-White, single			A.C.
President Grevy-Soft blue, double			Ā.
Mrs. Edward Harding—Bright carmine, double			
Katherine Havemeyer—Cobali blue, large doub			
Hiawatha—Lavender, very late blooming			
Horace—Lavender, very late blooming	• • • • • • • • • • • • • • • • • • • •		В.
Hugo Koster-Lilac with a reddish tint, single .			А.В.С.
Marechal Lannes—Bluish-violet, semi-double			
Mme. Lemoine—Snow-white, double President Lincoln—Purple-lilac opening to blue,			
Jean Mace—Pink, double			
Mont Blanc—Large white, single			
Reamur—Violet-carmine, single			
Rhum Von Horstenstein—Deep red changing to			
William Robinson—Mauve-pink, double			B.C.
Ludwig Spaeth—Crimson-purple, single			
Paul Therion—Purple, double			B.C.
Jan Van Tol-Large, pure white, single; dwarf			

	Each	Per 10	Per 100
SYRINGA Hybrids—Continued			
Vulcan—Deep purple			В.
Waldeck-Rousseau—Deep violet, double			
Ellen Willmott—Pure white, very double			
		• • • • • • • • • • • • • • • • • • • •	
A.—18-24 in B.— 2-3 ft.	.84		
B.— 2-3 ft	1.20		
D.— 4-5 ft. B. & B.	2.25		
E.— 5-6 ft. B. & B.			
TAXUS baccata repandens—1½'-2'—Spreading		n Yew—	Horizontal
branches; deep green needles.	,		
12-15 in. spread B. & B.	2.25	1.95	
15-18 in. spread B. & B.	3.00	2.70	
18-24 in. spread B. & B	3.90	3.60	
TAXUS Canadensis—3'-4'—Canadian Yew—A flo	rt arowine	tvne ho	rdv
18-24 in. spread B. & B	3.60	3.30	147.
2-2½ ft. spread B. & B.	5.10	4.80	
2½-3 ft. spread B. & B.	6.30	4.00	
TAXUS cuspidata—4'-5'—Spreading Japanese Yev	w—Deep	green folio	ige; good
for hedge.			
15-18 in. spread B. & B.	2.25	. 70	
18-24 in. spread B. & B.	3.00	2.70	0.00
2-2½ ft. spread B. & B	3.90	3.60	3.00
2½-3 ft. spread B. & B	5.40 7.50	4.80	4.20
3-3½ ft, spread B. & B	10.50	6.9 0 9.6 0	
4-5 ft. spread B. & B	15.00	13.50	
5-6 ft. spread B. & B.	21.00	19.50	
6-7 ft. spread B. & B.	27.00	24.00	
7-8 ft. spread B. & B	33.00	30.00	
8-10 ft. spread B. & B	39.00	00.00	
10-12 ft, spread B. & B.	48.00		
TAXUS cuspidata capitata—10'-20'—Upright Jo	220000	Yew—Dec	on groon
foliage; red fruit.	upunese	Tew-De	p green
18-24 in, B. & B	2.25	2.10	1.80
2-2½ ft. B. & B.	3.00	2.70	1.00
2½-3 ft B. & B.	4.20	3.75	
3-3½ ft. B. & B	5.40	4.95	
3½-4 ft. B. & B.	7.50	6.75	
4-5 ft. B. & B.	10.50	9.60	
5-6 ft. B. & B	13.50	12.00	
6-7 ft. B. & B	18.00	16.50	
7-8 ft. B. & B	27.00		

OUR TREE MOVING MACHINE IN OPERATION



2 ½-3 ft. spread B. & B. 3-3 ½ ft. spread B. & B. 3 ½-4 ft. spread B. & B. 4-5 ft. spread B. & B.	9.00 12.00 18.00 27.00	8.10 10.50	პ.∗ს
TAXUS cuspidata nana erecta—Upright variety 15-18 in. B. & B. 18-24 in. B. & B. 2-2½ ft. B. & B. 2½-3 ft. B. & B.	of the 3.60 4.80 6.00 9.00	Taxus cus	pidata nana.
TAXUS cuspidata seiboldi—12'-15'—Seibold Yew Good hedge plant. 15-18 in. B. & B. 18-24 in. B. & B. 4-5 ft. B. & B.	2.25 3.00 15.00	type of	''cuspidata''.
TAXUS cuspidata Thayeri—4'-5'—Thayer's Yew-2½-3 ft. B. & B	—Dark 5.40 7.50	4.80	
TAXUS media—12'-15'—Hybrid Yew—A good he 15-18 in. spread B. & B. 18-24 in. spread B. & B. 2-2½ ft. spread B. & B. 2½-3 ft. spread B. & B. 3½-4 ft. spread B. & B. 4-5 ft. spread B. & B. 5-6 ft. spread B. & B. 6-7 ft. spread B. & B.	2.25 3.00 4.50 6.00 9.00 12.00 15.00 18.00 24.00	2.70 4.20 5.40 8.10 10.50 13.50 16.50	2.40 3.90 4.80 7.20

TAXUS media Hatfieldi—12'-15'—Hatfield Yew— garden.	Compact	habit; go	ood for small
2-2½ ft. B. & B	4.50 6.00	4.20 5.40	
3-3½ ft. B. & B	9.00	8.10	
3½-4 ft. B. & B.	13.50 15.00		
4-5 ft. B & B			
*			1
TAXUS media Hicksi—10'-12'—Hick's Yew—Uj foliage.	prignt r	rancnes;	aark green
	0.40	0.05	
18-24 in, B, & B,	2.40	2.25	0.15
2-2½ ft. B. & B.	3.75	3.45	3.15
2½-3 ft. B. & B	5.25	4.80	4.50
3-3½ ft. B. & B	8.10	7.20	
3½-4 ft. B. & B.	9.90		
4-5 ft, B, & B,	13.50 18.00		
6-7 ft, B, & B,	24.00		
•			
TAXUS media Hunnewelliana—Hunnewell's Yew	v—Sprec	ıding habi	t.
18-24 in. B. & B	3.00	2.70	
2-2½ ft. B. & B	4.20	3.90	
2½-3 ft. B. & B.	5.40	4.80	
3-3½ ft. B. & B.	7.50		
TAXUS ovata—Dark green foliage; compact, up:	right gro	owth.	
12-15 in. B. & B	1.50		
15-18 in. B. & B	2.10	1.95	
18-24 in. B. & B	3.00	2.70	
2-2½ ft. B. & B.	4.50	4.20	3.90
2½-3 ft. B. & B.	5.25	4.95	4.50
201/, 4 B & B	7,50	6 90	

THUJA occidentalis Rosenthali—8'-10'—Rosenth dark green column. 5-6 ft. B. & B.	Each al Arbo	Per 10 rvitae—Slov	Per 100 w-growing,
THUJA occidentalis Vervaeneana-10'-12'-Verv	zaen Art	orvitaeBr	ond pyra-
midal habit; green to yellow and bronze			
6-7 ft. B. & B	7.50		
7-8 ft. B. & B.	9.00		
8-10 ft. B. & B.	10.50		
TSUGA canadensis—75'-90'—Canadian Hemloc	le Mostive	o ovoraroo	n: slander
and pendulous; dark green foliage; good			
18-24 in. B. & B.	1.50	1.35	1.20
2-2½ ft B. & B.	2.10	1.80	1.65
2 ¹ ⁄ ₂ -3 ft, B. & B.	2.70	2.40	2.10
3-4 ft. B. & B.	3.60	3.30	3.00
	4.80	4.20	3.90
4-5 ft. B. & B.		7.20	6.60
5-6 ft. B. & B.	7.50	9.90	9.00
6-7 ft. B. & B.	10.50	9.90	9.00
7-8 ft. B. & B	15.00		
8-10 ft. B. & B	21.00	07.00	
10-12 ft. B. & B.	30.00	27.00	
12-14 ft. B. & B.	39.00	36.00	
14-16 ft. B. & B.	48.00	45.00	
16-18 ft. B. & B	60.00		
Specimens add 33 ½	%		
TSUGA canadensis Dwarf Forms-4'-10'-Dw	arf Hem	lock—Intere	sting and
beautiful dwarf types; slow growing.			
18-24 in. B. & B.	2.70		
2-2½ ft. B & B.			
2½-3 ft. B. & B.			
TSUGA canadensis pendula—6'-8'—Sargeant W	eeping H	emlock.	
2½-3 ft, B, & B	9.90		
3-3½ ft. B. & B.	12.00		
4-5 ft. B. & B	19.50		
TSUGA carolinianum—25'-30'—Carolina Hemle	ock Mod	lorato stat	ure: dark
green foliage; hardy.	ockIvioc	ierale siai	uie, uuik
3-4 ft. B. & B	3.60	3.30	
4-5 ft. B. & B.	4.80	4.50	3.90
5-6 ft, B, & B	6.90	6.30	5.40
7-8 ft, B, & B.	13.50		3.40
	18.00	12.00 16.50	
8-9 ft. B. & B		21.00	
9-10 ft, B. & B		27.00	
		27.00	
12-14 ft. B. & B	39.00		

TSUGA diversifolia—Japanese Hemlock—Slow growing; short, blunt needles rather stiff habit. 10-12 in. B. & B
10-12 in. B. & B
12-15 in. B. & B
15-18 in. B. & B
18-24 in. B. & B
2.2 ½ ft. B. & B
2½-3 ft. B. & B
3.3 ½ ft. B. & B
4-5 ft. B. & B
trees; arching habit; fast growing. 12-14 ft. 2-2½ in. cal
trees; arching habit; fast growing. 12-14 ft. 2-2½ in. cal
12-14 ft. 2½-3 in. cal
14-16 ft. 3-3 ½ in. cal. 7.20 6.60 16-18 ft. 3½-4 in. cal. 12.00 10.50 VACCINIUM corymbosum—6'-7'—Highbush Blueberry—Native; small flowers dark blue fruit; good Fall color. 2-3 ft. B. & B. heavy 2.10 1.95 3-4 ft. B. & B. heavy 3.30 2.70
16-18 ft. 3½-4 in. cal
VACCINIUM corymbosum—6'-7'—Highbush Blueberry—Native; small flowers dark blue fruit; good Fall color. 2-3 ft. B. & B. heavy 2.10 1.95 3-4 ft. B. & B. heavy 3.30 2.70
dark blue fruit; good Fall color. 2-3 ft. B. & B. heavy
2-3 ft. B. & B. heavy
3-4 ft. B. & B. heavy
4-5 II. D. G. D. 11eQVV
5-6 ft. B. & B. heavy
VIBURNUM Carlesi—4'-5'—Fragrant Viburnum—Clusters of fragrant, white-pinl
flowers; good foliage.
18-24 in. B. & B
2-2½ ft. B. & B
3-3 ¹ / ₂ ft. B. & B
VIBURNUM cassinoides—6'-8'—Witherod—Clusters of white flowers in June
green berries changing to pink and then to blue-black; good Autum
color.
18-24 in
VIBURNUM dentatum—10'-12'—Arrow Wood—White flowers in May; black berries; good Autumn color.
2-3 ft
3-4 ft
4-5 ft
5-6 ft. B. & B
VIBURNUM dilitatum—8'-10'—Linden Viburnum—Clusters of creamy white
VIBURNUM dilitatum—8'-10'—Linden Viburnum—Clusters of creamy white flowers; scarlet berries.
VIBURNUM dilitatum—8'-10'—Linden Viburnum—Clusters of creamy white

	Each	Per 10	Per 100
VIBURNUM Lantana-12'-15'-Wayfaring Tree-			
June, showy red fruit turning blue, purple	and blac	k.	nowers an
18-24 in	.42	.36	
2-3 ft	.54	.48	.42
3-4 ft	.63	.57	.54
4-5 ft	.84	.72	
5-6 ft	1.35		
VIBURNUM Lentago—20'-25'—Nannyberry—Narr June, blue-black fruit, brilliant Fall color.	ow form	white	flowers in
18-24 in	.54	.48	.42
2-3 ft	.66	.63	.60
3-4 ft	.84	.81	.75
4-5 ft	1.05	.90	
VIBURNUM prunifolium—12'-15'—Black Haw—W! of pink fruit turning to black; good Autum		rs in Ma	y; bunches
		00	
2-3 ft, B, & B,	1.05	.96 1.50	
4-5 ft. B. & B.	1.65 2.10	1.95	
	2.10	1.95	
5-6 ft. B. & B	3.60		
VIBURNUM tomentosum plicatum—7'-8'—Japane		h~11 337h	ita "Cnarr
balls" in June; good foliage.	se snow	Dan—wi	ite Show-
2-3 ft	.54	.48	
3-4 ft	.66	.60	
VITEX macrophylla—5'.6'—Bigleaf Chaste Tree flowers in September; star-shaped gray-gr			ender blue
2-3 ft	.51	.45	
3-4 ft	.66	.60	
WEIGELA Eva Rathke—4'-5'—Redflowering Weigell Summer.	gela—Crin	mson flow	vers nearly
2-3 ft	.54	.48	
	*		
WEIGELA rosea—6'-8'—Pink Weigela—Pink flow	-		
2-3 ft	.42	.36	
3-4 ft	.54	.48	



HARDY PERENNIALS

AJUGA reptans—9"—Carpet Bugle—Blue flowers in May and June; excellent ground cover.

ANCHUSA italica Telham Beauty—4'-5'—Telham Bugloss—Bright blue flowers in June and July.

Each .36 Per ten .30

- —japonica September Charm—2'—Silvery-pink flowers; early September.
 Each .36 Per ten .30
- —Pulsatilla—8"-10"—Pasque Flower—Bluish-purple flowers in April and May; interesting seed pods.
- -White-18"-Pure white flowers in late Spring.

 Each .42

AQUILEGIA caerulea—2'—Colorado Columbine—Blue and white long-spurred flowers; May and June.

Each .36 Per ten .30

AQUILEGIA—Continued

—caerulea Crimson Star—2'-2'½'—Crimson Star Columbine—Crimson sepals with white center; May and June.

Each .36 Per ten .30

- —canadensis—18"-24"—Common American Columbine—Scarlet sepals with gold center; May and June.
- —chrysantha—2'.2½'—Golden Columbine—Long-spurred, golden yellow flowers; May and June.

Each .36 Per ten .30

—Dobbie's Hybrids—2½'-3'—Long-spurred, wide color range, extremely hardy; May and June.

Each .33 Per ten .27

—flabellata nana alba—8"-12"—Fan Columbine—Ivory white flowers, excellent gray-green foliage; May through June.

Each .36 Per ten .30

—Mrs. Scott Elliott's Hybrids—2½'-3'—Long-spurred, mixed pastel shades; May and June.

Each .33 Per ten .27

—Pearson's Pink Hybrids— $2\frac{1}{2}$ '-3'—Long-spurred, selected pink shades; May and June.

Each .33 per ten .27

—Snow Queen—2½'-3'—Long-spurred, pure white; May and June. Each .36 Per ten .30

ASTER alpinus Dark Beauty—6"-10"—Rock Aster—Large single flowers of deep layender; May and June.

-Climax-5'-Michaelmas Daisy-Light lavender-blue; August.

Each .36 Per ten .30

—Queen Mary—5'—Michaelmas Daisy—Blue-purple; August and September.

Each .36 Per ten .30

ASTILBE Gloria Superba—18"—Hybrid Astilbe—Rich, deep pink, feathery flower; July.

Each .60 Per ten .48

-White Hybrid-18"-Creamy white flower; July.

Each .75

AUBRETIA New Hybrids—3"-6"—H brid Rock Cress—White, blue, purple and rose shades; May and June.

Each .39 Per ten .33

 $\label{eq:brunneral} BRUNNERA \quad macrophylla—(Anchusa \quad Myosotodiflora)—12"-15"—Siberian \quad Bugloss—Bright blue forget-me-not flowers; April and May.$

Each .36 Per ten .30

CAMPANULA calycanthema—2'-3'—Cup and Saucer Canterbury Bells— Selected shades of blue, pink and white; June.

Each .36

- —carpatica—9"-12"—Carpathian Hare-bell—Delicate, bell-shaped blue flowers; June, July and August.
- —persicifolia—2'-2 $\frac{1}{2}$ '—Peach-leaf Bellflower—Lavender-blue flowers; June and July.
- CERASTIUM tomentosum—6"-8"—Snow-in-Summer—Silver-gray foliage, masses of white flowers; excellent wall plant; May and June.
- CHRYSANTHEMUM Hybrids—2'.3'—Garden Chrysanthemums—Selected varieties; September, October and November.
 - -Bright Eyes-Pompon variety-Orange-apricot with a bright eye.
 - -Ceres-Korean Hybrid-Single, chamois yellow.
 - -Daphne-Korean Hybrid-Single, soft rose with a brown cast.
 - -R. Marion Hatton-Pompon variety-Deep yellow.
 - -October Girl-Garden Hybrid-Large, shaggy, clear pink.
 - -Pink Doty-Pompon Variety-Pink.

Each .36 Per ten .30

CONVALLARIA majalis—9"-12"—Lily-of-the-Valley—Fragrant white flowers; May and June.

Large clumps .45 Per ten .36

CYPREPEDIUM acaule—10"—Lady's Slipper—Moccasin Flower—Large rosecolored flowers; May and June.

4 inch pots, each .45 Per ten .36

-pubescens-16"-Yellow Lady's Slipper-May and June.

4 inch pots, each .39 Per ten .33

—spectabile—2'—Showy Lady's Slipper—Deep rose-purple pouch with white petals; May and June.

4 inch pots, each .45 Per ten .36 8 inch pots, each .54 Per ten .48

DELPHINIUM Belladonna Improved Strain—2'-3'—Improved Belladonna Lark-spur—Clear blue; June through July.

Each.42 Per ten .36

—Hybrids—2'-3'—Improved colors and strain; June through July .

Each.42 Per ten .36

- DIANTHUS arenarius—6"-15"—White flowers tinted lavender, gray-green foliage; May and June.
 - —Beatrix—6"-9"—Hybrid Pink—Large, clear, salmon pink flowers; June through July; September and October.

Each .36 Per ten .30

- —Newport Pink—12"-15"—Sweet William—Deep salmon pink; May and June.
- DICENTRA canadensis—12"—Squirrelcorn—Flowers white tipped with rose; delicate, finely-cut foliage; April.

3 inch pots, each .36 Per ten .30

—Cucullaria—4"-6"—Dutchman's Breeches—Greenish-white flowers tipped with rose; early Spring.

3 inch pots, each .36 Per ten .30

---spectabilis--18"-24"--Bleeding Heart--Pink and white flowers; fern-like foliage; May and June.

6 inch pots, each .60 Per ten .54

- DIGITALIS ambiqua Isabellina—2'.3'—Yellow Foxglove—Spikes of deep yellow marked with brown; ideal plant for shade; June and July.

3 inch pots, each .36 Per ten .30

DORONICUM excelsum Mrs. Mason—2'-2½'—Leopardbane—Large yellow daisy-like flowers; April and May.

Each .36 Per ten .30

EPIGEA repens—4"-6"—Trailing Arbutus—Evergreen ground-cover; white and pink flowers in May.

4 inch pots, each .75

- ERYTHRONIUM americanum—12"—Adder's Tongue—Trout Lily—Small lily—like yellow, white and pink flowers; interesting mottled leaves; woodland plant blooming in April.
- GAILLARDIA grandiflora Dazzler—2½'—Blanket Flower—Vivid crimson and gold flowers; June through September

Each .36 Per ten .30

- **GEUM Lady Stratheden—18".24"—Double Orange Avens**—Deep golden yellow; June through September.
- All herbaceous perennials, except where noted, 30c each, 24c per ten, 18c per hundred; 5 plants at the 10 rate and 25 plants at the 100 rate of any one variety.

GYPSOPHILA paniculata Bristol Fairy—2'-3'—Double Baby's Breath—Masses of minute, double, white flowers; June, July and August.

Each .42 Per ten .36

- HELIANTHEMUM mutabile Buttercup—9"—Rock Rose—Single golden flowers; June anl July.
 - —mutabile Salmon—9"—Salmon Rock Rose—A pale, salmon pink shade; June and July,
 - -mutabile Sudbury Gem-9"-Single, crimson-bronze; June and July.
- HEPATICA acutiloba—4"-6"—Sharp Lobed Hepatica—Native woodland plant, white, pink and lavender flowers; April.
 - —triloba—4"-6"—Three Lobed Hepatica—Native woodland plant; blue flowers in April.
- HEUCHERA sanguinea Pluie de Feu—15"-18"—Coral Bells—Brilliant red flowers in June and July.

Each .42 Per ten .36

—Rosemonde—15"-18"—Pink Bells—Good, pure pink flowers in June and July.

Each .36 Per ten .30

- IBERIS sempervirens—8"·10"—Candytuft—Evergreen; white flowers; April and May; good edging plant.
 - —sempervirens Little Gem—6"-8"—Evergreen; white flowers; good compact edging plant; April and May.

Each .36 Per ten .30

- IRIS cristata—4"-6"—Crested Iris—Native; lavender-blue flowers in May.
 - -cristata alba-4"-6"-White Crested Iris-Pure white variety; May.

 Each .36 Per ten .30
 - —germanica Crusader—2'-3'—Lavender-blue; June.
 - -germanica Shekinah-2'-3'-Clear deep yellow; June.
 - -tectorum-18"-24"--Japanese Roof Iris--Blue; June.
 - —tectorum alba—18"-24"—White variety of the above; June.
- LAVENDULA vera—12"-15"—Lavender—Very fragrant herb; lavender flowers in June and July.

Each .36 Per ten .30

- LILIUM candidum—4'—Madonna Lily—Waxey white flowers in early June.
 7 inch pots, each .60
 - —candidum Salonika—4'—English grown strain of the Madonna Lily.
 6 inch pots, each .75
 - -regale-4'-Regal Lily-White, purple reverse; June and July.
 - 6 inch pots, each .36
 - —tenuifolium—2'—Coral Lily—Small waxey turk's caps; July.
- 6 inch pots, each .42

 LINUM perenne—15"-18"—Blue Perennial Flax—Masses of sky-blue flowers in May and June.
- MERTENSIA virginica—2'.2½'—Virginia Bluebell—Native; blue-purple flowers in April; excellent for naturalizing.
- MYOSOTIS palustris—8"-10"—Forget-me-not—Bright blue flowers with yellow center; prefers a moist location; May and June.
- PAPAVER nudicale—18"-24"—Iceland Poppy—Various shades of yellow, orange, red and white; June and July.
- PHLOX divaricata-10"-12"-Blue Phlox-Lavender-blue flowers in May.
 - —Decussata Enchantress—2'.2\(^1\)2'—Garden Phlox—Lovely shade of pink; July, August and September.
 - -subulata alba-4"-6"-Mountain Pink-Pure white; April and May.
 - —subulata Apple Blossom—4"-6"—Soft pink; April and May.
 - —subulata Blue Hills—4" 6"—A good blue variety; April and May.
 - —subulata G. F. Wilson—4"-6"—Lavender-blue; April and May.
 - —suffruticosa Miss Lingard—2'.21/2'—Pure white flowers; splendid dark green foliage; June, July and August.
- PLATYCODON grandiflorum—2'- $2\frac{1}{2}$ '—Balloon Flower—Blue flowers in June and July.
- POLEMONIUM reptans—3"-12"—Creeping Polemonium—Bright blue flowers; April, May and June.
- PRIMULA cachemiriana—9"-12"—Kashmir Primrose—Lilac-blue flowers; June.

 Each .36 Per ten .30
 - —veris duplex—6"-9"—Hose in Hose Primrose.—Semi-double, yellow flowers; May and June.
 - Each .48 Per ten .42 Per hundred .36
 - —veris Munstead—9"-12"—Superb shades of orange, yellow and cream; May.
 - Each .42 Per ten .36

PULMONARIA angustifolia azurea—9"-12"—Cowslip Lungwort—Blue flowers in April and May.

Each .36 Per ten .30

- PYRETHRUM Hybrids—2'-2½'—Painted Lady—Various shades of white, pink and red; May, June and July.
- SALVIA Pitcheri—3'.3½'—Blue Meadow Sage—Deep blue flowers in September and October.

Each .36

- $\begin{array}{lll} \textbf{SANGUINARIA} & \textbf{canadensis} \\ \textbf{-} \textbf{6''} \\ \textbf{-} \textbf{Bloodroot} \\ \textbf{-} \textbf{Native}; & \textbf{white, star-like flowers}; \\ \textbf{April.} \end{array}$
- SCABIOSA caucasica Isaac House Hybrids— $18^{\prime\prime}$ - $24^{\prime\prime}$ —Flowers ranging from a delicate lavender to a rich purple; May through October.

Each .42 Per ten .36

- —fischeri—18"-24"—Fischer's Scabiosα—Blue flowers from May through October; ideal cutting plant.
- TEUCRIUM Chamaedrys—12"-15"—Germander—Evergreen, glossy, deep green leaves; loose spikes of rose-purple flowers in June and July. Excellent dwarf hedge plant.

 $2^{1/4}$ inch pots, each .36 Per ten .30

THYMUS Serpyllum coccineus—2".3"—Scarlet Thyme—Fragrant, soft green mats; deep pink flowers in June and July.

Heavy clumps, each .48 Per ten .42


- TRILLIUM erectum—12"—Purple Trillium—Native; dark purple flowers; broad leaves; May.
 - —grandiflorum—8"·15"—Snow Trillium—Native; large white flowers turn lilac with age; May.
 - —undulatum—18"—Painted Trillium—Native; white flowers painted with purple at the base; May.
- TROLLIUS europeus— $1\frac{1}{2}$ '-2'—Globe Flower—Vivid orange-yellow flowers; good foliage; May and June.
- VERONICA amethystina—12"—Speedwell—Spikes of clear blue in June.

Each .36 Per ten .30

- —incana—9"·12"—Woolly Speedwell—Bluish-purple flowers; gray foliage; May and June.
- -True Blue-12"-Intense blue; June and July. Each .36 Per ten .30

VIOLA cornuta Admiration-6"-8"—Deep violet flowers all summer.

- —cornuta Arkwright Ruby—6"-8"—Large ruby red flowers, dark maroon center; May through September.
- —cornuta Chantreyland—6"-8"—Pure apricot shade; May through September.
- -cornuta Jersey Gem-6"-8"-Rich deep blue; May through September.
- —cornuta White Perfection—6"-8"—A pure waxey white; May through September.
- —lutea splendens—6"-8"—Clear yellow; compact habit; May through September.
- -odorata rosina-4"-6"-Pink, fragrant violet; April and May.
- —pedata bicolor—4"-6"—Bird's Foot Violet—Native; purple and blue flowers in the Spring and early Summer.



A PART OF OUR BOXWOOD COLLECTION AT THE NURSERY

FERNS

ADIANTUM pedatum—12"-18"—Maidenhair Fern—Graceful; hardy; best in moist places.

Each .30 Per ten .24

ASPLENIUM platyneuron—6"-15"—Ebony Spleenwort—Good in rock work.

Each .30 Per ten .24

DRYOPTERIS noveboracensis—12"-15"—New York Fern—Pale green foliage; prefers a moist location.

Each .30 Per ten .24

POLYPODIUM vulgare—4"-10"—Common Polypody—Evergreen species good for rock work; forms dense mats.

Each .30 Per ten .24

POLYSTICHUM acrostichoides—12"—Christmas Fern—Evergreen; deep green.

Each .30 Per ten .24

GROUND COVERS

AJUGA reptans—See Perennials.

ARCTOSTAPHYLOS Uvα-ursi—4"-6"—Bearberry—Evergreen; white or pink flowers.

Clumps, each .60

ASARUM Shuttleworthi—6".8"—Mottled Ginger—Evergreen, leathery foliage.
4 inch pots, each .45

CONVALLARIA majalis-See Perennials.

EPIGEA repens-See Perennials.

EUONYMUS radicans—See Vines.

—radicans vegetus—See Vines.

GALAX aphylla—8"-10"—Galax—Native; creamy white flowers; glossy green leaves; early Spring.

 $2^{1/4}$ inch pots, each .30

Clumps, each .45 Per ten .39 Per hundred .33

HELIANTHEMUM in variety—See Perennials.

IBERIS sempervirens in variety—See Perennials.

JUNIPERUS in variety-See General List.

PACHYSANDRA terminalis—6"-9"—Japanese Spurge—Evergreen ground-cover for shady places.

 $2\frac{1}{2}$ inch pots, per ten .18 Per hundred .15 Per thousand .12 4 inch pots, each 30 Per ten .24 Per hundred .21

PHLOX subulata Varieties-See Perennials.

POLEMONIUM reptans—See Perennials.

SHORTIA galacifolia—9"—Oconee Bells—Native; evergreen, large, heart-shaped leathery foliage; white flowers in early Summer.

3 inch pots, each .48 Per ten .42 Per hundred .36 4 inch pots, each .60 Per ten .54 Per hundred .48

THYMUS Serpyllum coccineus—See Perennials.

VACCINIUM crassifolium—2"-4"—Evergreen; small, glossy, box-like leaves; trailing.

4 inch pots, each .48

—Vitis-idea—6"—Cowberry—Evergreen ground-cover with red berries.
4 inch pots,each .60

VINCA minor—4".6"—Periwinkle—Evergreen; ground-cover with lilac-blue flowers; April and May.

2 year, per ten .27 Per hundred .24 Per thousand .21 1 year, per ten .21 Per hundred .18 Per thousand .15

VINES

AMPELOPSIS tricuspidata Veitchii—Brilliant Autumn coloring; blue berries.

Each .60 Per ten .54

—tricuspidata Lowii—Dwarf Cutleaf Boston Ivy—Small, deeply cut foliage.

Each .75 Per ten .66

ARISTOLOCHIA Sipho—18'-20'—Dutchman's Pipe—Very large, round leaves; brownish colored flowers; rapid growing.

4 inch pots, each 1.05

BIGNONIA grandiflora—Chinese Trumpetcreeper—Orange flowers.

6 inch pots,each .90 Per ten .81

—radicans—Trumpet Vine—Orange and scarlet flowers.

Each .60 Per ten .48

CELASTRUS scandens—American Bittersweet—Orange-scarlet fruit.

2 year, each .36 Per ten .33

CLEMATIS paniculata—Sweet Autumn Clematis—White flowers in September.

6 inch pots, each .60 Per ten .54

-Hybrids

Mme. Andre-Red.

4 inch pots, each 1.20

Per ten 1.05

CLEMATIS Hybrids—Continued

Henryii-Large, creamy white flowers.

4 inch pots, each 1.20

Jackmanni-Large, violet-purple flowers.

4 inch pots, each 1.20

Ramona-Single, pale blue flowers.

4 inch pots, each 1.20

Lawsoniana—Large, blue flowers; June to September.

4 inch pots, each 1.20

Mme. Villard—Bright carmine flowers.

4 inch pots, each 1.20

EUONYMUS radicans—Wintercreeper—Evergreen wall or ground-cover.

 $2\frac{1}{4}$ inch pots, each .30 Per ten .24

3 year, each .60 Per ten .48

HEDERA helix—English Ivy—Good evergreen wall or ground-cover in shady places.

4 inch pots, each .36

Per ten .33

-helix Baltica-Hardy English Ivy-Small leafed variety.

4 inch pots, each .60 Per ten .54

-helix conglomerata-Bunchleaf Ivy-Dwarf variety.

4 inch pots, each .48 Per ten .42

-helix gracilis-Small Leaf Ivy-Hardy; good in rock work; foliage veined with white.

> 4 inch pots, each .60 Per ten .54

-helix minima-Erect Ivy-Stiff habit.

 $2^{1/4}$ inch pots, each .45 Per ten .42

-helix pedata-Deeply lobed leaves; graceful habit.

4 inch pots, each .75 Per ten .66

LONICERA japonica halliana—Hall's Japanese Honeysuckle—Common sweet variety.

> Per ten .27 2 year, each .33

WISTERIA chinensis-Chinese Wisteria-Purple.

2	year,	each	.90
3	year,	each	1.20
4	vear.	each	2.70

6 year, each...... 4.80


8 year, each..... 6.00

chinensis Tree-form	
5 ft. standards (in tubs)each	12.00
—floribunda Naga-nodo—Lavender; long clusters.	
6 year, B. & Beach	5.40
—floribundα rubrum—Red; long clusters.	
5 year, B. & Beach	5.40
—floribunda Shiro-nodo—White; long clusters.	
5 year, B. & Beach	5.40
multijuga Tree-formLavender.	
5 ft. standard (in tubs)each	12.00

J. H. SCHMIDT & SON,

Inc.

MILLBURN, N. J.





	,	



